

The Palo Alto Networks logo, featuring a stylized orange and red icon to the left of the word "paloalto" in a lowercase, sans-serif font.

TECHDOCS

AI Access Security 開始使用

Contact Information

Corporate Headquarters:

Palo Alto Networks

3000 Tannery Way

Santa Clara, CA 95054

www.paloaltonetworks.com/company/contact-support

About the Documentation

- For the most recent version of this guide or for access to related documentation, visit the Technical Documentation portal docs.paloaltonetworks.com.
- To search for a specific topic, go to our search page docs.paloaltonetworks.com/search.html.
- Have feedback or questions for us? Leave a comment on any page in the portal, or write to us at documentation@paloaltonetworks.com.

Copyright

Palo Alto Networks, Inc.

www.paloaltonetworks.com

© 2024-2026 Palo Alto Networks, Inc. Palo Alto Networks is a registered trademark of Palo Alto Networks. A list of our trademarks can be found at www.paloaltonetworks.com/company/trademarks.html. All other marks mentioned herein may be trademarks of their respective companies.

Last Revised

April 17, 2026


Table of Contents

AI Access Security 簡介	5
AI Access Security 支援哪些操作?	11
執行初始 AI Access Security 設定.....	117
啟用對 AI Access Security 的角色型存取.....	119
啟用 Gen-AI-Best-Practice 片段.....	125
關聯應用程式標記片段.....	127

AI Access Security 簡介

GenAI 應用程式是 AI 應用程式，能夠產生文字、影像、影片和其他形式的資料，以回應使用者提示並根據使用者輸入持續瞭解。其運用正以驚人的速度激增，並且為企業帶來了無限的商機。然而，GenAI 應用程式本質上會以有爭議的方式改進，為企業和安全性管理員帶來了新的危機 - 如何確保員工不會將敏感或專屬資料公開給 GenAI 應用程式？

Palo Alto Networks 引入了 AI Access Security，可讓企業在整個組織中安全地採用 GenAI 應用程式，方法是緩解與提示中資料外洩和回應中惡意內容相關聯的風險。AI Access Security 包含廣泛的生成式人工智慧 (GenAI) 應用程式字典，協助您識別 GenAI 應用程式以及脈絡式、精細的存取控制政策規則，以協助您防止敏感資料外洩。AI Access Security 還提供詳細的監控功能，讓您可以篩選特定 GenAI 應用程式、使用者和 GenAI 使用案例，從而讓您編寫針對性安全性政策規則，以強化安全性態勢，協助您針對組織內允許的 GenAI 應用程式控制離開組織的資料。



AI Access Security 遵循一組核心主體，允許您的組織安全地利用 GenAI 應用程式，同時確保您的敏感或專有資料不會暴露。

- 識別和控制 GenAI 應用程式
- 全面的視覺化和報告

- 資料保護

識別和控制 GenAI 應用程式

AI Access Security 提供強大的工具來識別和控制 GenAI 應用程式在您網路上的使用情況。數百個 GenAI 應用程式已被分類並與 AI 特定屬性對應，以產生定制的風險評分，使 InfoSec 團隊能夠做出明智的決策。更重要的是，AI Access Security 不僅協助企業瞭解 GenAI 的採用和使用情況，還防止敏感資料丟失，並為已認可和影子 AI 應用程式提供即時威脅偵測。安全性管理員可以立即改善風險態勢，同時讓使用者能夠安全地利用 GenAI 的強大功能。

屬性—AI Access Security 提供 GenAI 應用程式功能的[詳細說明](#)，而且屬性 AI Access Security 會用來計算每個 GenAI 應用程式的風險評分。

存取控制—建立網際網路存取政策規則以控制對 GenAI 應用程式的存取。您可以針對下列項目控制對 GenAI 應用程式的存取：

- 已認可、未認可或已容許的 GenAI 應用程式的使用者群組。您也可以根據說明、風險或使用案例控制 GenAI 應用程式使用情況。
- 在特定 GenAI 應用程式內或針對 GenAI 應用程式的類別封鎖或允許特定功能。
- 控制 GenAI 應用程式瀏覽器延伸、外掛程式和自訂 GPT 的存取。

企業帳戶和自訂 GenAI 應用程式—當使用企業帳戶時，您可以認可使用者群組存取 GenAI 應用程式，同時封鎖存取公開可用的 GenAI 應用程式。此外，對於具有輸出網際網路存取的自訂 GenAI 應用程式，您可以控制使用者群組對這些應用程式的存取。

全面的視覺化和報告

AI Access Security 管理完全在 **Strata Cloud Manager** 上進行，這是涵蓋您的安全性執行通道的單一窗口管理體驗，包括一個詳細儀表板，其中趨勢可讓您根據使用者、資料傳輸、GenAI 應用程式以及跨所有通道的使用案例篩選和探索使用情況。

AI Access Security 提供超過 500 個 GenAI 應用程式和 60 多個屬性的全方位字典，以準確探索和監控 GenAI 採用、使用和風險。此外，AI Access Security 還會使用脈絡感知 LLM 支援的資料分類，搭配超過 300 個分類器，以提供高準確的敏感資料探索能力。

AI Access Security 包括角色型存取的支援，能夠為專注於設定政策或緩解風險的管理員授與角色型存取控制。

產生一份 **執行摘要報告**，無論是隨選還是排程在特定日期，都會彙總 GenAI 應用程式的使用情況、政策違規指標，以及其他重要的資料安全性指標。在您的稽核和合規性報告中使用此資訊，以分享您獨特的 GenAI 洞察，並確保您組織的操作合規性。

資料保護

AI Access Security 提供跨所有強制執行點的資料保護、態勢管理和零信任安全性多功能解決方案。Enterprise DLP (Palo Alto Networks 的雲端型資料遺失防護服務，其會使用 AI 和受監督機器學習演算法) 是偵測引擎，加強 AI Access Security 為檔案和非檔案型流量和文字提示封鎖敏感資料外洩的能力。Enterprise DLP [資料模式](#)和[資料設定檔](#)指定比對準則，用來判斷符合 Web 安全性政策規則的流量是否包含敏感資料。您可以建立自訂資料模式和設定檔，或使用[預先定義的資料模式和設定檔](#)，來偵測個人識別資訊 (PII)、專有原始碼、智慧財產權、客戶資料等。

AI Access Security 也會檢查已認可和已容許 GenAI 應用程式的回應，以確保威脅行為者不會在 GenAI 應用程式遭入侵時存取您的網路或啟動攻擊。AI Access Security 會檢查由 GenAI 傳回的所有檔案、URL 和指令碼片段，以回應已認可和已容許 GenAI 應用程式的使用者提示。

AI Access Security 支援哪些操作？

AI Access Security 讓您能夠查看數百個生成式 AI (GenAI) 應用程式，這些應用程式屬於多個預先定義的 GenAI 應用程式使用案例之一。檢閱預先定義的使用案例清單，以了解不同的 GenAI 應用程式如何根據其功能和使用情況進行分組，以及每個應用程式對您的組織所帶來的相關風險的詳細資訊。

GenAI 應用程式清單說明了 AI Access Security 能夠查看的所有 GenAI 應用程式流量。這意味著您可以使用 AI Access Security 洞察儀表板，來探索與使用者存取這些 GenAI 應用程式相關的活動和風險行為。

Enterprise Data Loss Prevention (E-DLP) 是驅動 AI Access Security 的偵測引擎，並防止敏感資料外洩至 GenAI 應用程式。檢閱 Enterprise DLP 支援的 GenAI 應用程式清單，以進一步瞭解您可以在組織中安全地採用的 GenAI 應用程式。若要使用 Enterprise DLP 以防止敏感資料外洩至 GenAI 應用程式：

- 所有 GenAI 應用程式支援都需要 PAN-OS 10.2.3 或更新版本。
這適用於 NGFW、Panorama™ management server 和 Prisma Access 資料平面版本。
- 所有 GenAI 應用程式僅支援非檔案檢查，除非在支援的 GenAI 應用程式清單中另有指示。

如果 Enterprise DLP 不支援特定的 GenAI 應用程式，您可以選擇[封鎖存取](#) GenAI 應用程式，如果它未經您的組織認可使用。

- [使用案例](#)
- [GenAI 應用程式可視性](#)
- [用於 GenAI 應用程式的企業 DLP](#)
- [SaaS 安全性](#)
- [Prisma 瀏覽器](#)

支援的 AI Access Security 使用案例

您可以根據以下使用案例使用 AI Access Security 安全地採用 GenAI 應用程式。一個 GenAI 應用程式可以與多個使用案例相關聯。

- 音訊產生器

音訊產生器會使用 AI 模型，從使用者提供的文字提示或音訊參考輸入建立音效、音樂和其他音訊剪輯。

相關聯風險

- 版權侵權—音訊產生器可以根據現有音樂和音效的資料集進行訓練，其中可以包括受版權保護的資料。這可能會導致所產生的輸出再現受版權保護的資料。
- 資料隱私權—音訊產生器可以在未經同意的情況下重新建立個人的聲音、說話模式或其他可辨識的聲音特徵，這會構成隱私風險。
- 敏感資訊的暴露—音訊產生器可以接收音訊作為輸入，其中可能包含專有或敏感資訊。通過提供此專有或敏感資料作為輸入，您冒著該資料被用來訓練 GenAI 應用程式的風險，這可能會使其暴露給您組織外的使用者。

- 對話代理程式

對話代理程式以自然、使用者友善的方式（類似於人類之間的互動方式）為各種工作提供協助。它們通常採用聊天機器人的形式，接受文字和檔案作為輸入。

相關聯風險

- 惡意提示—不良行為者可以透過製作和注入可能洩露敏感資訊的間接提示來入侵交談式代理程式。
- 敏感資訊的暴露—交談式代理程式是根據使用者共用的資料進行訓練。如果您共用的資料包含敏感資訊，其可能會透過交談式代理程式的回應無意中暴露給其他使用者。
- 不安全的外掛程式設定—某些交談式代理程式允許啟動可讓您與外部應用程式和服務互動的外掛程式，但可能具有不安全的設定。這會大幅增加您的攻擊面並弱化您的安全態勢。
- 幻覺、偏見和道德問題—對話代理程式可能產生有偏見、不準確或誤導性的資訊。

- 程式碼助理和產生器

程式碼助理和產生器可以透過產生程式碼片段和建議來大幅提升開發人員的生產力。

相關聯風險

- 安全性漏洞—程式碼助理和產生器所產生的程式碼可能包含錯誤、漏洞或惡意軟體，其可能遭到入侵，從而危及應用程式安全性。
- 侵犯智慧財產權—透過公用儲存庫上訓練的模型所產生的程式碼可能會違反授權或再現受版權保護的程式碼。
- 敏感資訊的暴露—程式碼助理和產生器可能會洩露您的優先順序演算法，因為您正在根據程式碼訓練第三方模型。

- 開發人員平台

開發人員平台可簡化並協調建置 GenAI 應用程式的程序。

相關聯風險

- 敏感資訊的暴露—微調大型語言模型 (LLM) 通常需要搭配專有資料對其進行訓練。安全性缺口或未經授權的存取可能會導致嚴重的資料外洩。

- 企業搜尋

企業搜尋旨在跨組織的資料來源提供集中式搜尋體驗。

相關聯風險

- 資料隱私權和安全性—企業搜尋刻意設計為可以存取組織的各種敏感資料。安全性缺口或未經授權的存取可能會導致嚴重的資料外洩。
- 惡意提示—不良行為者可以透過製作和注入可能洩露敏感資訊的間接提示來入侵這些企業搜尋。

- 影像編輯器與產生器

影像編輯器和產生器利用 AI 模型，根據文字提示或輸入影像產生、操作和編輯影像。

相關聯風險

- 版權侵權—影像編輯器與產生器可以根據受版權保護的影像資料進行訓練，這可能會導致所產生的內容侵犯智慧財產權。
- **Deepfake** 濫用—影像編輯器和產生器可以用來產生高度逼真的 Deepfake，其可以變為武器，產生錯誤資訊活動。
- 偏見和道德問題—影像編輯器與產生器生成的內容可能延續社會偏見，產生有害和攻擊性的內容。

- 會議助理

會議助理提供會議總結等功能，包括行動項目和後續工作清單產生。

相關聯風險

- 侵犯隱私權和機密性—您冒著風險根據會議期間討論的敏感或專有資訊對會議助理進行訓練。此外，其還可以將此資料儲存在其可能不遵循最佳安全性標準的雲端環境中。

- 生產力助理

生產力助理提供一般工作協助，直接在熟悉的生產力工具內綜合資訊。其知曉生產力工具有權存取的所有資料、專有文件、機密資訊和商業秘密。

相關聯風險

- 資料隱私權和安全性—生產力助理刻意設計為可以存取組織的各種敏感資料。安全性缺口或未經授權的存取可能會導致嚴重的資料外洩。
- 過多的代理—生產力助手具有整合功能，並且可能支援多種類型的外掛程式和延伸，讓您可與外部應用程式和服務互動，但可能具有不安全的設定。這會大幅增加您的攻擊面並弱化您的安全態勢。
- 惡意提示—不良行為者可以透過製作和注入可能洩露敏感資訊的間接提示來入侵這些助理。

- 視訊編輯器與產生器

視訊編輯器與產生器會使用 AI 模型，根據文字提示或輸入影像產生、操作和編輯視訊。

相關聯風險

- 版權侵權—訓練影片編輯器和產生器時可以使用現有影像或影片資料的訓練資料集，其中可以包括受版權保護的影像和影片。這可能會導致所產生的輸出再現受版權保護的資料。
- **Deepfake** 濫用—影片編輯器和產生器可以用來產生高度逼真的 **Deepfake**，其可以變為武器，產生錯誤資訊活動。
- 偏見和道德問題—視訊編輯器與產生器生成的內容可能延續社會偏見，產生有害和攻擊性的內容。

- 寫作助理

寫作助理透過提供寫作建議、文法更正和內容產生功能來提高生產力。

相關聯風險

- 剽竊和版權侵權—寫作助理可以根據現有文字的資料集進行訓練，其中可能包括受版權保護的作品。這可能會導致所產生的輸出直接再現資料而沒有正確的屬性。
- 敏感資訊的暴露—寫作助理通常可以存取敏感資訊，例如專有文件、個人資料或機密通訊。安全性缺口或未經授權的存取可能會導致嚴重的資料外洩。
- 偏見和道德問題—寫作助理生成的內容可能會延續社會偏見，產生有害和攻擊性的內容。

AI Access Security 支援的 GenAI 應用程式可視性

GenAI 應用程式	App-ID
3DFY	3dfy-ai
6000 Thoughts	6000-thoughts
8base	8base
8Base Archie	8base-archie
A.V.Mapping	av-mapping
AbanteAI	abanteai
AccurateScribe.ai	accuratescribe-ai
ACE Studio AI Singing Voice Generator	ace-studio-ai-singing-voice-gen
Acobot	acobot acobot-logout acobot-delete
Acrolinx	acrolinx
Acrostic.AI	acrostic-ai
Adaptiv.Me	adaptiv.me
AdCreative AI	adcreative.ai
Addy AI	addy-ai
Adobe Express	adobe-express
Adobe Firefly	adobe-firefly
Adobe Labs Project Blink	adobe-labs-project-blink
Adobe Podcast	adobe-podcast
Adrenaline AI	adrenaline-ai
AdsGency AI	adsgency-ai
Adventure AI	adventure-ai

GenAI 應用程式	App-ID
Aflorithmic	aflorithmic
Agentic AI	agentic-ai
AgentProd	agentprod
AgentQL	agentql
AI2006	ai2006
AI2sql	ai2sql
AI-Adventures	ai-adventures
AIApply	aiapply
AI Art Apps	aiart-apps
Aible	aible
AI Chatting	ai-chatting
AI Code Converter	ai-code-converter
AiCogni	aicogni
AICommit	aicommit
AIContentfy	aicontentfy
AIDocMaker	aidocmaker
AI Domain Genius	ai-domain-genius
AI Drive	ai-drive
AI Duh	ai-duh
AI Dungeon	ai-dungeon
AI Epics	aiepics
AI Gallery	ai-gallery
AI Ghostwriter	ai-ghostwriter
AIGIFY	aigify

GenAI 應用程式	App-ID
AI Grammar	ai-grammar
Aigur	aigur
AI Horde	ai-horde
AI Humanize Brightcove's AI Suite	ai-humanize-brightcove-ai-suite
AI IS A JOKE	ai-is-a-joke
AI JingleMaker	ai-jinglemaker
AILab Tools	ailabtools
AI Lesson Plan	ai-lesson-plan
AILYZE	ailyze
AI Magicx	ai-magicx
Ai Mailer	ai-mailer
AI Memes Generator	ai-memes-generator
Aimi Aimi Music Services Sync	aimi-music-services-sync
AIModels.fyi	aimodels-fyi
AIMon	aimon
AIImReply	aimreply
AiNameIt	ainameit
Ainisa AI Content Writer	ainisa-ai-content-writer
AI Novelist	ai-novelist
AI Pal	ai-pal
AI Passport Photos	aipassportphotos
AI Picasso	ai-picasso
AI Poem Generator	ai-poem-generator
AiProlific	aiprolific

GenAI 應用程式	App-ID
AIReception	aireception
AirOps	airops
Airtest Project	airtest-project
AIScreenWriter	aiscreenwriter
AiSDR	aisdr
aiselfi.es	aiselfi-es
Aishoot Img-Cut	aishoot-img-cut
AI Snake Oil	ai-snake-oil
AI Social Bio	ai-social-bio
AI Sofiya	ai-sofiya
Aisozai	aisozai
Alssistify	aissistify
AI Story Generator	ai-story-generator
AIStudio	aistudio
Aiter	aiter
AI Test Kitchen TextFX	image-fx
Aithor	aithor
AI Toolbox for Innovators	ai-toolbox-for-innovators
Aitubo	ai-tubo
AI Undetect	ai-undetect
Aiva	aiva-ai
AIWOD Fitness	aiwod-fitness
AI-Wordsmith	ai-wordsmith
AI-Writer	ai-writer

GenAI 應用程式	App-ID
AIWritingPal	aiwritingpal
AIxBlock	aixblock
AIZONIX	aizonix
Akeeva	akeeva
Akkadu	akkadu
AKOOL	akool
Alaba AI MyReport	alaba-ai-myreport
Alayna	alayna
Albert Bro	albert-bro
Algolia	algolia algolia-logout algolia-delete
Alltius	alltius
AllWrite	allwrite
AlphaCode	alphacode
Alphy	alphy
AltCheckerAI	altcheckerai
Alteryx AiDIN	alteryx-aidin
Altnado Alt Text Generator	altnado-alt-text-generator
Amazon Bedrock	amazon-bedrock amazon-bedrock-upload amazon-bedrock-delete
Amazon CodeWhisperer	amazon-codewhisperer
Amazon Polly	amazon-polly
Amazon Q	amazon-q

GenAI 應用程式	App-ID
Amazon SageMaker	amazon-sagemaker
Amazon SageMaker Ground Truth	amazon-sagemaker-groundtruth
Amazon Titan	amazon-titan
Amazon Transcribe	amazon-transcribe
Amazon Web Services AWSME AI	aws-awsme-ai
Ambient Twine	ambient-twine
Amelia	amelia
Amnet Digital	amnet-digital
Anakin.ai	anakin-ai
Analogenie	analogenie
Anania AI	anania
AndiSearch	andisearch
Angry Email Translator	angry-email-translator
Anima	animaapp
Animaker	animaker animaker-download animaker-logout
AnonChatGPT	anonchatgpt
AnthemScore	anthemscore
Anthropic API	anthropic-api
Any Summary	any-summary
AnythingLLM	anythingllm
Anyword	anyword
Aomni	aomni
AppAgent	appagent

GenAI 應用程式	App-ID
Applaime	applaime
AppTek.ai	apptek-ai
Appy Pie	appy-pie appy-pie-logout appy-pie-delete
Aragon	aragon-ai
Arches AI	arches-ai
ArchitectGPT	architectgpt
Arkangel AI	arkangel-ai
ArtBot.ai	artbot-ai
Artbreeder	artbreeder
Artflow	artflow
ARTi	arti
Article Fiesta	articlefiesta
ArtificialStudio	artificialstudio
Artiphoria	artiphoria
Art Review Generator	art-review-generator
ARTSIO	artsio
Arvin AI	arvin-ai
Arxiv-Summary	arxiv-summary
Ask an AI	ask-an-ai
AskBooks	askbooks
AskBrian	askbrian
AskCodi	askcodi
AskCSV	askcsv

GenAI 應用程式	App-ID
Ask Experts	ask-experts
AskHumans	askhumans
AskJack	askjack
Ask Marcus	ask-marcus
Ask Notion	ask-notion
Ask Robi	ask-robi
AskSatoshi AI Agent	asksatoshi-ai-agent
Ask Seneca	ask-seneca
Ask Sétu	ask-setu
AskThee	askthee
Aspen	aspen
AssemblyAI	assemblyai-speech assemblyai-speech-upload
Asterix Writer	asterix-writer
Astria AI	astria-ai
AstroGPT	astrogpt
Atlancer AI	atlancer-ai
Atlas Navi	atlas-navi
Atlassian AI (Bitbucket)	bitbucket-atlassian-intel
Atlassian AI (Confluence)	confluence-atlassian-intel
Atlassian AI (Jira)	jira-atlassian-intel
Atlassian AI (Trello)	trello-atlassian-intel
Atmo	atmo
Audialab	audialab

GenAI 應用程式	App-ID
Audiense	audiense
AudiLabs	audilabs
Audiocipher	audiocipher
AudioNotes	audionotes
AudioShake	audioshake
Audiostrip	audiostrip
Audo Studio	audio-studio
Audo Studio AI	audio-studio-ai
Augie	augie
Augment AI	augment-ai
Augmentir	augmentir
Auri.ai	auri.ai
Autoblocks	autoblocks
AutoBlogging.Pro	autoblogging-pro
AutoEasy	autoeasy
AutoPod	autopod
AutoRegex	autoregex
AutoResponder	autoresponder
autoRetouch	autoretouch
AutoTextGenie AI	autotextgenie-ai
Autowrite	autowrite
Autowriter AI	autowriter
Autron AI-Driven Amazon Advertising	autron-ai-amazon-advertising
Autumn	autumn

GenAI 應用程式	App-ID
Avatarize	avatarize
Avoma	avoma avoma-delete
Axcieve AI Sales Assistant	axcieve-ai-sales-assistant
AyeCreate	ayecreate
Ayfie	ayfie
Azure AI Services	azure-ai-services
Azure Custom Speech	azure-custom-speech
Azure OpenAI	azure-openai
Azure OpenAI API	azure-openai-api
Azure OpenAI Encrypted	azure-openai-encrypted
Azure OpenAI Studio	azure-openai-studio
Baba Selo	baba-selo
Background Remover AI	background-remover-ai
BacklinkGPT	backlinkgpt
Baidu Yiyan	baidu-yiyan
Bamble Movio	bamble-movio
Bannerbear	bannerbear
Banter AI	banter-ai
Bappfy	bappfy
Bardeen AI	bardeen
BarGPT	bargpt
Barua.ai	barua-ai
Basejump AI	basejump-ai

GenAI 應用程式	App-ID
Baseplate	baseplate
BashSenpai	bashsenpai
Batai	batai
Bearly AI	bearly-ai
Beautiful AI	beautiful
BeeBee AI	beebee-ai
Beepbooply	beepbooply
Beewriter	beewriter
BeFunky	befunky
Beloga	beloga
Be My Eyes	be-my-eyes
Beni	beni
Bento AISTOTE	bento-aistote
BentoML	bentoml
Bertha AI	bertha-ai
Better Synonyms	better-synonyms
BEXI.ai	bexi-ai
Bexy.ai AI Sales Assistant	bexy-ai-sales-assistant
BgRem	bgrem
BHuman	bhuman
Bidlytics	bidlytics
BigMP4	bigmp4
Bing AI	bing-ai bing-ai-uploading

GenAI 應用程式	App-ID
Bing Chat	bing-chat
Biodock	biodock
Bito AI	bito
Bitte.ai	bitte-ai
BizPlanner AI	bizplanner-ai
BizScraper	bizscraper
Bizway	bizway
Blackbox AI	blackbox-ai
Black Forest Labs FluxAI Image Generator	bfl-fluxai-img-generator
Black Forest Labs Flux AI Suite Image Generator	bfl-flux-ai-suite-img-gen
BlackInk AI	blackink-ai
BlancAI Recruiter	blancai-recruiter
BlazeAI App	blazeai-app
BlendAI	blendai
Blend AI	blend-ai
Blend AI Studio	blend-ai-studio
Blockade Labs Skybox AI	blockade-labs-skybox-ai
BlogAudio	blogaudio
Blubi	blubi
Bogar.ai	bogar-ai
BoltAI	boltai
Bomml	bomml
BookAI	bookai
BookAI.chat	bookai-chat

GenAI 應用程式	App-ID
BooksAI.com	booksai-com
Book Witch	book-witch
Booom	booom
Boring Report	boring-report
Botley AI	botley-ai
Bot Libre	bot-libre
Botly	botly
Botowski	botowski
BotStar	botstar botstar-upload botstar-delete
Bottr	bottr
BPMN Sketch Miner	bpmn-sketch-miner
Brain.fm	brain.fm
Brainly	brainly-app
BrainrotAI	brainrotai
Brainybear AI Chatbots	brainybear-ai-chatbots
Brancher.ai	brancher-ai
Brandmark	brandmark
Brevity	brevity
Brevo	brevo
Bria App	bria-app
Briefly	briefly
廣播	broadcast
Broadn	broadn

GenAI 應用程式	App-ID
BrowseGPT	browsegpt
Browser AI Kit	browser-ai-kit
Browser Copilot AI	browser-copilot-ai
BuildCarousel	buildcarousel
BulkGPT	bulkgpt
Byautomata	byautomata
Byterat	byterat
Byword	byword
Cactus	cactus
CalcGen AI	calcgen-ai
CalendarPlusAI	calendarplusai
CaliberAI	caliberai
Call Annie	call-annie
Calligrapher.ai	calligrapher-ai
Camel AGI	camel-agi
Campbell	campbell
Canary Mail	canary-mail
Candide	candide
Candy AI	candy-ai
Canva	canva-text-to-image
Canva Magic Studio	canva-magic-studio
Capably	capably
CapCut	capcut
Captions	captions

GenAI 應用程式	App-ID
Cara AI	cara
CarbonCopy	carboncopy
Careered	careered
Cargo AI	cargo
Casa de Sante AI Meal Planner	casa-de-sante-ai-meal-planner
Cascadeur	cascadeur
CashKaka AI Expense Tracker	cashkaka-ai-expense-tracker
Caspa AI	caspa-ai
Caspar AI	caspar-ai
CassetteAI	cassetteai
Cedille.ai	cedille-ai
Celebrity Voice Changer	celebrity-voice-changer
Censorfy	censorfy
Census GPT	census-gpt
CensysGPT	censysgpt
Centropo	centropo
Chadview	chadview
Chai AI	chai
ChainFuse	chainfuse
ChainGPT	chaingpt
Chapple AI	chapple-ai
Chapterize	chapterize
Character AI	character-ai character-ai-posting character-ai-uploading

GenAI 應用程式	App-ID
	character-ai-posting
Character Lingo	character-lingo
Charisma AI	charisma.ai
Charley AI	charley-ai
CharShift	charshift
Chartpixel	chartpixel
Chat.lit.codes	chat-lit-codes
Chat & Ask AI	chat-ask-ai
Chat2Code	chat2code
Chat2Course	chat2course
ChatAI	chatai
ChatBA	chatba
Chatbase	chatbase
Chatbit	chatbit
ChatBoo	chatboo
ChatBot	chatbot
Chatbot App	chatbot-app
Chatbotgen	chatbotgen
Chatbot GPT	my-chatbot-gpt
ChatFAI	chatfai
ChatFans	chatfans
ChatFAQ G Suite	chatfaq-g-suite
ChatFast	chatfast
Chatfuel AI	chatfuel chatfuel-delete

GenAI 應用程式	App-ID
ChatGPT 4 Online	chatgpt-4-online
Chatgpt AI	chatgate-ai
Chat GPT Demo	chat-gpt-demo
Chatgptextension	chatgptextension
ChatGPT for Google	chatgpt4google
ChatGPT for Search Engines	chatgpt-for-search-engines
Chatgptfree.ai	chatgptfree-ai
Chatgptfy	chatgptfy
ChatGPT Rewriter	chatgpt-rewriter
ChatGPT Spanish	chatgpt-spanish
ChatGPT Writer	chatgpt-writer
ChatHub	chathub.gg
Chat Jams	chat-jams
ChatLabs	chatlabs
ChatNode	chatnode
ChatOga	chatoga
Chatous	chatous
Chatpad AI	chatpad-ai
ChatPDF	chatpdf
ChatPromptGenius	chatpromptgenius
ChatShape	chatshape
Chatsimple	chatsimple
ChatSpot	chatspot
ChatTab	chattab

GenAI 應用程式	App-ID
Chattero	chattero
Chatty AI	chatty-ai
ChattySurvey	chattysurvey
ChaturGPT	chaturgpt
ChatX	chatx
CheatGPT	cheatgpt
CheckforAi	checkforai
Checkget AI	checkget-ai
Checksum AI	checksum-ai
ChefGPT	chefgpt
Chibi AI	chibi-ai
Childbook	childbook
Chub	chub
Chugzi	chugzi
Chunky	chunky
CIRRO E-Commerce Logistics	cirro-e-commerce-logistics
Claid AI	claid
Claros	claros
Classpoint	classpoint
Claude AI	claude claude-delete claude-edit claude-post claude-upload
Cleanvoice AI	cleanvoice-ai

GenAI 應用程式	App-ID
Clearstep	clearstep
Clerk.io	clerk.io
Cleverbot	cleverbot
Clickable	clickable
Clipchamp	clipchamp
Clipdropapp	clipdropapp
ClipGPT	clipppt
Clips AI	clips-ai
ClipVideoAI	clipvideoai-67b72c
Clockwise	clockwise
CloneDub	clonedub
CloneMyVoice.io	clonemyvoice-io
Closerscopy	closerscopy
Cloth2Life Shopify Apps Cloth2Life	cloth2life-shopify-apps
ClothOff	clothoff-io
Cmd J	cmd-j
Coach Apply	coach-apply
CoachBot.ai	coachbot-ai
Coachify.AI	coachify-ai
Coachvox AI	coachvox
Code2.AI	code2-ai
CodeAI Studio Pro	codeai-studio-pro
Codeamigo	codeamigo
CodeAssist	codeassist

GenAI 應用程式	App-ID
CodeBaby	codebaby
CodeCompanion	codecompanion
CodeComplete	codecomplete
CodeConvert AI	codeconvert-ai
CodeGate	codegate
Code Genius	code-genius
Codeium	codeium
Code Language Converter	code-language-converter
CodeMate.ai	codemate-ai
CodePal	codepal
CodeRabbit	coderabbit
Code Snippets AI	codesnippets
CodeSquire	codesquire
CodingFleet	codingfleet
Codium AI	codium-ai
Cody AI	Cody
Cogix	cogix
Coglayer	coglayer
Cogniflow	cogniflow
Cognify Studio	cognify-studio
CognitiveMill	cognitivemill
Cognosys	cognosys
Cohere	cohere
Cohere Coral	cohere.ai

GenAI 應用程式	App-ID
Cohesive	cohesive
Coldreach AI Lead Finder	coldreach-ai-lead-finder
Colibri	colibri
ColoringBook AI	coloringbook-ai
Coloromo	coloromo
Color Pop	color-pop
ColossalChat	colossalchat
Colourlab Ai	colourlab-ai
ComfyUI Stable Fast 3D	comfyui-stable-fast-3d
ComicsMaker.ai	comicsmaker
CommanderGPT	commandergpt
Conch AI	conch
Conker AI	conker-ai
Consensus	consensus-ai-app
Constitute AI	constitute-ai
Contenda	contenda
ContentDetector.AI	contentdetector-ai
ContentEdge	contentedge
Contentfries	contentfries
ContGPT	contgpt
Contlo	contlo
Converse	converse
conversionApp	conversionapp
conversionblitz	conversionblitz

GenAI 應用程式	App-ID
ConvertKit	convertkit
CoolAlid	coolaiid
Copilot2trip	copilot2trip
Copilotly	copilotly
Copy AI	copy.ai
Copyleaks Plagiarism Checker	copyleaks-plagiarism
Copymatic	copymatic
CopyMonkey	copymonkey
CopysAI	copysai
Copysmith	copysmith
Copyter	copyter
CopyTruck	copytruck
Coso.ai Social Media Co-Pilot	cosoai-social-media-copilot
Coursebox	coursebox
CourseHero	course-hero course-hero-delete
Coveo	coveo coveo-delete coveo-logout coveo-share
CoverDoc.ai	coverdoc-ai
Coverler	coverler
CoverLetterGPT	coverlettergpt
Cover Letter Simple.ai	cover-letter-simple-ai
Coverr AI Workflows	coverr-ai-workflows

GenAI 應用程式	App-ID
CoWriter	cowriter
CoWriter AI	cowriter-ai
Coze	coze
Cradl AI	cradl-ai
Cradle	cradle
CraftUI Studio	craftui-studio
Craiyon	craiyon
Crammer	crammer
CrawlQ AI	crawlq
Crayon Data	crayon-data
Creaitor	creaitor
Createthat.ai	createthat-ai
Creai.ai AI Tech Suite Dittin AI	creai-ai-tech-suite-dittin-ai
Creai.ai Study Potion AI	creai-ai-study-potion
Creatify AI Video Ads	creatify-ai-video-ads
Creative Fast AID	creative-fast-aid
CreatorML	creatorml
Cronbot	cronbot
CrushOn.AI	crushon-ai
CrystalSound	crystalsound
CSM	csm
Cuppa AI	cuppa-ai
Curipod	curipod
Cursor	cursor

GenAI 應用程式	App-ID
Custom Story Creator	custom-story-creator
CustomWritings Essay Tools	customwritings-essay-tools
Cutout.Pro	cutout.pro
Cyanite	cyanite
CypherScribe	cypherscribe
DADABOTS	dadabots
Daft Art	daft-art
DailyReadsAI	dailyreadsai
DapperGPT	dappergpt
DashAI	dashai
Databricks Mosaic Research	databricks-mosaic-research
Daydrm	daydrm
DealCloud	dealcloud
Dealight	dealight
DealWorthIt	dealworthit
Decidable	decidable
Deciphr	deciphr
Decktopus AI	decktopus-ai
DeepAI	deepai
Deep Anime	deep-anime
Deep Art Effects	deep-art-effects
DeepBrain AI	deepbrain-ai
DeepBrainz AI	deepbrainz-ai
Deep Dream Generator	deepdream

GenAI 應用程式	App-ID
	deepdream-delete
Deepfake Maker	deepfake-maker
Deepfakes Web	deepfakes-web
DeepFiction AI	deepfiction-ai
Deepgram	deepgram
DeepL	deepl
DeepL Translator	deepl-translator
DeepL Writer	deepl-write
DeepReview	deepreview
DeepSeek API	deepseek-api
DeepSeek Chat	deepseek-chat
DeepSeek Platform	deepseek-platform
Deepshot	deepshot
Deepsweet AI	deepsweet-ai
DeepZen	deepzen
Deflekt.ai	deflekt-ai
Delineate	delineate
Delve App	delve-app
DemoDazzle	demodazzle
Denise	denise
Describely	describely
Descript	descript
Devassistant.ai	devassistant-ai
DevKit	devkit

GenAI 應用程式	App-ID
Dezbor	dezbor
D-ID	d-id
D-ID Creative Reality Studio	d-id-creative-reality-studio
Diffit	diffit
DiffusionArt	diffusionart
DiffusionBee	diffusionbee
Dify.AI	dify-ai
DiscordPal	discordpal
DishGen	dishgen
Distillr	distillr
Divi Supreme AI Writer	divi-supreme-ai-writer
DocGPT	docgpt
Docnosis AI	docnosis-ai
Doctor Droid	doctor-droid
Doctrina AI	doctrina-ai
DocuDo	docudo
DocumentationLab	documentationlab
Docus	docus
Dodocs.ai DoDocs AI MatchPoint	dodocsai-matchpoint
Dolores	dolores
DomoAI	domoai
Donakosy	donakosy
DoNotPay	donotpay
Doodlocracy	doodlocracy

GenAI 應用程式	App-ID
Dopeloop	dopeloop
Dori AI	dori-ai
Double AI	double
Dr.Gupta	dr-gupta
Dr.Haydar.AI	dr-haydar-ai
Drafthorse AI	drafthorse-ai
DraftLab	draftlab
Draw3D	draw3d
DREAM.page	dream-page
Dreamcard.ai	dreamcard-ai
Dream Decoder	dream-decoder
DreamFusion	dreamfusion
DreamGF.ai	dreamgf-ai
Dreamlike.art	dreamlike-art
Dreamlook	dreamlook
Dream Press AI	dream-press-ai
Dream Snap	dream-snap
DreamStudio	dreamstudio
Dreamt	dreamt
DreamTavern	dreamtavern
Dreamtonics Synthesizer V	dreamtonics-synthesizer-v
Drift	drift drift-download drift-logout
DrLambda	drlambda

GenAI 應用程式	App-ID
Dropchat	dropchat
Drumloop AI	drumloop-ai
Dubverse.ai	dubverse-ai
DuckDuckGo AI Chat	duckduckgo-ai
Dumme	dumme
Dumpling AI	dumpling-ai
Durable AI	durable-ai
Dust.tt	dust.tt
Dystr	dystr
EasyChat AI	easychat-ai
Easy Message	easy-message
EasyMessage.ai	easymessage-ai
Echowin	echowin
EdApp	edapp edapp-delete edapp-logout edapp-share
Eden AI	edenai
EditAir ONLYOFFICE AI-Driven Video Editing	editair
Editby	editby
Editee	editee
EditGPT	editgpt
Eduaide AI	eduaide
Eduwriter.ai	eduwriter-ai
Effy	effy

GenAI 應用程式	App-ID
Eightify	eightify
Eilla AI	eilla
Eclipse	eclipse
Elaborate.ai	elaborate-ai
Elai	elaiapp
Elephas	elephas
Eleuther	eleuther
ElevenLabs	elevenlabs
Elf Messages	elf-messages
Elicit	elicit
Elicit AI	ellie.ai
EliteAi.tools Elite AI Tools Assista AI	eliteai-tools-assista-ai
Elite AI Writer	elite-ai-writer
Ellie AI	ellie-ai
ELSA	elsa-english-coach
Eluna.ai	eluna-ai
Elusidate	elusidate
Email Bind	email-bind
EmailComposer.ai	emailcomposer-ai
EmailFlow AI	emailflow-ai
EmailMagic AI	emailmagic-ai
EmbedAI	embedai
Embedditor	embedditor
Embolden	embolden

GenAI 應用程式	App-ID
Embra	embra
Emergent Mind	emergent-mind
Emerson AI	emerson-ai
EmoGPT	emogpt
Emploio AI Tools	emploio-ai-tools
EmpowerGPT	empowergpt
Empy AI	empy-ai
Emvoice	emvoice
Enclave AI	enclave-ai
Endless Visual Novel	endless-visual-novel
Engine	engine
EnhanceAI	enhanceai
Enricoros Big-AGI	enricoros-big-agi
Enterpix	enterpix
Enwrite	enwrite
EPAGESTORE.AI	epagestore-ai
Epic-Avatar	epic-avatar
Epic Music Quiz	epic-music-quiz
Erase bg	erase-bg
EssayAiLab	essayailab
Essay Builder AI	essay-builder-ai
EssayGenius	essaygenius
EssayGrader	essaygrader
EssayPal	essaypal

GenAI 應用程式	App-ID
Essense	essense
Eto News	eto-news
Eververse Refraction	eververse-refraction
Evoke AI	evoke-ai
Evolup	evolup
Evoto	evoto
Evryface	evryface
ExactBuyer	exactbuyer
Exai Bio	exai-bio
Excelify.AI	excelify-ai
ExcelMaster.ai Office 365 AI Excel Bot	excelmaster-ai
Existential	existential
ExperAI	experai
Explainpaper	explainpaper
ExtendImageAI	extendimageai
Extrapolate	extrapolate
Eye For AI	eye-for-ai
EZAI Content Generator	ezai-content-generator
EzMail.AI	ezmail-ai
FabFab AI	fabfab-ai
Fabrie	fabrie
Face26	face26
FaceApp	faceapp
Face Dance	face-dance

GenAI 應用程式	App-ID
Face Swapper	faceswapper-ai
Facetune	lightricks-facetune
Facia	facia
Factiveverse	factiveverse
Fadr	fadr
FakeYou	fakeyou
Fame Podcast Agency	fame
Fanfuel	fanfuel
FAQWidget AI-powered FAQ Widget	faqwidget-ai-powered
Faraday App	faraday-app
Fast.ai	fast-ai
Fastbots	fastbots
FastTrackr AI	fasttrackr-ai
Fathom	fathom-app
FeedHive	feedhive
Ferret AI	ferret-ai
FictionGPT	fictiongpt
FieldDay	fieldday
Figflow.io	figflow-io
Figma Figjam AI	figma-figjam-ai
Figstack	figstack
File Doge	file-doge
Fill Genius	fill-genius
Filmora	filmora

GenAI 應用程式	App-ID
Finalle	finalle
FinalScout	finalscout
FinChat.io	finchat
Findsight AI	findsight-ai
Find Your Next Book	find-your-next-book
FineChat.ai	finechat-ai
Finito	finito
Fireflies AI	fireflies.ai
FireTexts	firetexts
FitWizard	fitwizard
Flawless	flawless
Flazio	flazio
FlexClip	flexclip
Fliki	flikiapp
Flipped Chat	flipped-chat
FlirtAI	flirtai
Floatbot	floatbot
Flowgpt	flowgpt
Flowjin	flowjin
Flowrite	flowrite
FluentHQ	fluenthq
FlutterFlow	flutterflow
FlyFin	flyfin
Fontis.ai	fontis-ai

GenAI 應用程式	App-ID
Fontjoy	font-joy
Forefront	forefront
Forethought	forethought
Formsible AI Tech Suite	formsible-ai-tech-suite
Formula Bot	excel-formula-bot
Formula Generator	formula-generator
Formularizer	formularizer
Formulas HQ	formulas-hq
FormWise	formwise
Fotographer.ai Fuzer	fotographer-ai-fuzer
Fotor	fotor
FoxyApps	foxyapps
Frank AI	frank-ai
Frase	frase
Freed AI	freed-ai
Freeday AI	freeday-ai
FreedomGPT	freedomgpt
FreshFrame	freshframe
Fresho	fresho
Friends And Fables	friends-and-fables
FundBase AI	fundbase-ai
FUUPS.AI	fuups-ai
FyIm.ai	fyIm-ai
FYRAN	fyran

GenAI 應用程式	App-ID
FY Studio	fy-studio
G3D.AI	g3d-ai
Gaided AI Travel Companion	gaided-ai-travel-companion
GaliChat	galichat
Galileo AI	galileo-ai
Gamma	gamma
Gauthmath	gauthmath
Geeklab AiAM	geeklab-aiam
Geleza	geleza
Gems	gems
Gencraft	gencraft
Genei	genei
Generai	generai
Generate Code for Arduino	generate-code-for-arduino
GeneratorXYZ	generatorxyz
Geniusee Estimator	geniusee-estimator
Genmo	genmo
Gentype.io AI Generated Themed 3D Alphabets	gentype
Gerwin AI	gerwin-ai
GetAudify	getaudify
Getimg.ai	getimg-ai
GGML.ai	ggml-ai
Ghola	ghola
GhostWriter	ghostwriter

GenAI 應用程式	App-ID
Ghostwriter	ghostwriter
Gift Genie AI	gift-genie-ai
GimmeReview	gimmereview
GimmyAI	gimmyai
GirlfriendGPT	girlfriendgpt
Gista	gista
Gist AI	gist-ai
GitaGPT	gitagpt
GitFluence	gitfluence
GitHub Copilot	github-copilot
GitHub Copilot Business	github-copilot-business
GitHub Copilot Chat	github-copilot-chat
GitHub Copilot Chat Business	github-copilot-chat-business
Giti	giti
GitPoet	gitpoet
GitWit	gitwit
Gizzmo	gizzmo
Glean	glean-app
Glean AI	glean-ai
Glif.app Glifs	glifapp-glifs
Gliglish	gliglish
Glimmer AI	glimmer-ai
Gling	gling
Glitch Image Generator	glitch-image-generator

GenAI 應用程式	App-ID
Global SEO	global-seo
Glowup AI	glowup-ai
Glowy AI	glowy-ai
Glyf	glyf
Gnod	gnod
Gnothi	gnothi
GoblinTools	goblin-tools
GoCharlie	gocharlieai
Godmode AI	godmode-ai
GodmodeHQ	godmodehq
GoHeather	goheather
GoLinks	golinks
Goodhues	goodhues
Good Tape	good-tape
Gooney.AI	gooney-ai
Google Bard	google-bard google-bard-uploading
Google Creative Lab AutoDraw	autodraw
Google Duet AI	google-workspace-duet-ai
Google Gemini	google-gemini google-gemini-uploading google-gemini-delete google-gemini-downloading google-gemini-editing
Google Gemini Models	google-gemini-models google-gemini-models-download

GenAI 應用程式	App-ID
	google-gemini-models-post google-gemini-models-upload
Google PaLM 2	google-palm2
Google Vertex AI	google-vertex-ai google-vertex-ai-delete google-vertex-ai-create
GovDash	govdash
GPT4All	gpt4all
GPT6	gpt6
GPT Assistant	gpt-assistant
GPT Book Club	gpt-book-club
GPT Chatbot	chat-gpt-org
GPTConsole	gptconsole
GPT Cuisine	gpt-cuisine
GPT Excel AI Formula Generator	gpt-excel-ai-formula-gen
GPT For Slides	gpt-for-slides
GPTGame	gptgame
GPT Games	gpt-games
GPTGO	gptgo
GPTinf	gptinf
GPTionary	gptionary
GPTMyDay	gptmyday
GPTNederlands	gptnederlands
GPTOnline.ai	gptonline-ai
GPTService	gptservice

GenAI 應用程式	App-ID
GPT Subtiter AI Tech Suite	gpt-subtiter-ai-tech-suite
GPT-UA	gpt-ua
GPTz Directory	gptz-directory
Gramara	gramara
Grammarly	grammarly
Grantable	grantable
Grantboost	grantboost
GrapeGPT	grapegpt
GraphicInfo.cc Infographic Maker	graphicinfo-infographic-maker
Green Screen AI	green-screen-ai
GreyNights	greynights
Groot Music	groot-music
Groq	groq
GroqChat	groq-chat
guidde	guidde
Gutenberg Hub AI Writer	gutenberg-hub-ai-writer
GyataGPT AI	gyatagpt-ai
GymBuddy	gymbuddy
H2O	h2o h2o-logout h2o-delete
Habit Driven	habit-driven
Hackerman.AI	hackerman-ai
Haiper AI Video Generator	haiper-ai-video-generator
Hairgen.ai	hairgen-ai

GenAI 應用程式	App-ID
HairstyleAI	hairstyleai
Haiva.ai Analytics Agent	haiva-ai-analytics-agent
Hal9	hal9
Halist	halist
HAMA	hama
HandyPlugins Handywriter	handyplugins-handwriter
HappyAccidents	happyaccidents
Harmonai	harmonai
HARPA AI	harpa-ai
Harvey	harvey
Haystack	deepset-haystack
HeadshotPro	headshot-pro
HeardThat	heardthat
Heatbot.io	heatbot-io
HEIGHTS PLATFORM	heights-platform
Heimdall	heimdall
Hello History	hello-history
Helper.email	helper-email
Helper AI	helperai
HelperHat	helperhat
HelpGent	helpgent
Hemingwayapp	hemingwayapp
HereAfter	hereafter
herohunt	herohunt

GenAI 應用程式	App-ID
HeroTalk	herotalk
Hexagram	hexagram
HeyCLI	heycli
HeyFriday	heyfriday
HeyGen	heygen
HeyGPT	heygpt
Hey Papaya	hey-papaya
HeyScience	heyscience
Hidden Door	hidden-door
HiNotes	hinotes
Hippocratic AI	hippocratic-ai
Hirex	hirex
Hix AI	hix-ai
Holly	holly
Hoodem	hoodem
HookGen	hookgen
Hotconvo	hotconvo
Hotpot	hotpotai
Hot Reach AI	hot-reach-ai
Hotshot	hotshot
Hour One	hour-one
How2	how2
HowToWrite	howtowrite
Hubspot AI	hubspot-ai

GenAI 應用程式	App-ID
Hubspot Chat	hubspot-chatspot
Hugging Chat	huggingchat
Hugging Face	huggingface
Hugging Face AI Comic Factory	hugging-face-ai-comic-factory
Hugging Face Live Portrait AI	hugging-face-live-portrait-ai
HumanLayer Egress Intelligent Email Security Suite	humanlayer-egress-intel-email
Humanloop	humanloop
Humanpal	humanpal
Humata	humata
Hushl	hushl
Huula CSSRooster	cssrooster
HyperCatcher	hypercatcher
HyperWrite	hyperwriteai
Hypotenuse AI	hypotenuse-ai
Hyable	hyable
I18ncore	i18ncore
IAsk.AI	iask-ai
iChatWithGPT	ichatwithgpt
IconifyAI	iconifyai
IdeaApe AI Market Research	ideaape-ai-market-research
Ideacadabra	ideacadabra
Ideogram	ideogram
Ikigai Labs Generative AI Platform	ikigai-labs-gen-ai-platform
Illustroke	illustroke

GenAI 應用程式	App-ID
ImagenMIA	imagenmia
Imagetocaption AI	imagetocaption-ai
Imaginary Programming	imaginary-programming
Imaginator	imaginator
Imajinn Product Visualizer	imajinn-product-visualizer
Imbue	imbue
IMI Prompt	imi-prompt
Impakt AI Agent Coach	impakt-ai-agent-coach
iMyFone Filme MagicMic	imyfone-filme-magicmic
IN3D	in3d
Inboxpro	inboxpro
Inferable	inferable-inc-ai-platform
Infomail	infomail
Ink	ink
Inkey AI	inkey-ai
Inncivio	inncivio
Innoplexus AG Innoplexus Ontosight.ai	innoplexus-ag-ontosight-ai
Instanews.ai	instanews-ai
InstaNovel.ai	instanovel-ai
Instant Answers	instant-answers
Instant Chapters	instant-chapters
Instantly	instantly
InstaPhotoAI	instaphotoai
Instaroast	instaroast

GenAI 應用程式	App-ID
InstaRoom.ai	instaroom-ai
Instatext	instatext
InSummary	insummary
Integry AI Functions	integry-ai-functions
IntellibizzAI	intellibizzai
IntervAI	intervai
InterviewAI	interviewai
InterviewBoss AI Tools	interviewboss-ai-tools
Interworky AI Chatbot	interworky-ai-chatbot
Invict AI	invict-ai
InVideo AI	invideo
Inworld	inworld
Iokoo	iokoo
iPick.ai	ipick-ai
IPscreener	ipscreener
Ipsos AI	ipso-ai
Irmo	irmo
Isaac Editor	isaac-editor
Is This Image NSFW	is-this-image-nsfw
Ittybrief	ittybrief
Jackrabbit Ops	jackrabbit-ops
Jaeves AI	jaeves-ai
JamGPT	jamgpt
JanitorAI	janitorai

GenAI 應用程式	App-ID
Jaq & Jil	jaq-and-jil
Jasper	jasper-ai
Jasper	jasper jasper-ai jasper-ai-uploading
Jeda.ai	jeda-ai
Jedilnik.ai	jedilnik-ai
Jenni AI	jenni-ai
Jigso	jigso
Jina AI	jina
Jobscan	jobscan
Jolt AI	jolt-ai
Jotlify AI Tech Suite	jotlify-ai-tech-suite
Journo AI Financial Journalist AI Platform	journoai-fin-journalist-ai-plat
JpgHD	jpghd
Jude AI	jude-ai
Julep AI	julep-ai
JungGPT	junggpt
Jungle	jungle
Junia AI	junia-ai
Junruxiong IncarnaMind	junruxiong-incarnamind
Just Learn	just-learn
K8sGPT	k8sgpt
Kaedim3d	kaedim3d
Kahma.io	kahma-io

GenAI 應用程式	App-ID
Kaiber	kaiber
KAI KeyboardAI	kai-keyboardai
Kamara	kamara
Kapwing	kapwing
KardsAI	kardsai
Kartiv	kartiv
Kayyo	kayyo
Kerlig	kerlig
Keymate.AI	keymate-ai
Keys AI	keys-ai
Keytalk AI	keytalk-ai
KeywordSearch	keywordsearch
Keyword Tool	keyword-tool
Kibo	kibo
Kickresume for Business	kickresume-for-busin
Kidtivity Lab	kidtivity-lab
Kin	kin
Kindred Tales	kindred-ales
KinesteX AI	kinestex-ai
Kinetix	kinetix
Kipper	kipper
KiraHeadshots AI Professional Headshots	kiraheadshots-ai-pro-headshots
Kiri.art	kiri-art
Kittens AI	kittens-ai

GenAI 應用程式	App-ID
Kittl	kittl
Kive	kive
Knowt	knowt
Koala AI	koala-ai
Koe Recast	koe-recast
Komandi	komandi
Kome	kome
Korewa AI	korewa
Kraftful	kraftful
Krater AI	krater
KreadoAI	kreadoai
Krikey AI	krikey-ai
Krisp.ai	krisp
Kuki AI	kuki-ai
Kupid AI	kupid
Kustomer	kustomer
Lagna360	lagna360
LALAL.AI	lalal.ai
Lalaland	lalaland
Lamini	lamini
LangChain	langchain
Langflow	langflow
Langotalk	langotalk
LangStream AWS Suite	langstream-aws-suite

GenAI 應用程式	App-ID
Langtrace LangChain	langtrace-langchain
LanguagePro	languagepro
LanguageTool	languagetool
LaraGPT	laragpt
Lately	lately
Latte Social	latte-social
薰衣草色	lavender
Layla AI	layla-ai
Learn.xyz	learn.xyz
Learnitive	learnitive
Learnt.ai	learnt
Leexi	leexi
Letts Writing Pro	letts-writing-pro
LensGo	lensgo
Leon AI	leon-ai
Leonardo AI	leonardo-ai
Lerio	lerio
Lesson Plans	lesson-plans
LetmeGPT	letmegpt
Let Me GPT That For You	let-me-gpt-that-for-you
Letsask	letsask
Lets Enhance	lets-enhance
LetsView Chat	letsview-chat
Letterdrop	letterdrop

GenAI 應用程式	App-ID
Lettergram	lettergram
LetzAI	letzai
Levity	levity
Lex	lex.page
Lexii.ai	lexii-ai
LG AI Research	lg-ai-research
Lifecast	lifecast
Lightkey	lightkey
Lightrail.ai	lightrail-ai
Lightscreen AI	lightscreen-ai
Lightning AI	lightning.ai lightning.ai-downloading lightning.ai-uploading
Lilybank AI	lilybank-ai
LimeWire BlueWillow	bluwillow
Liner	liner
LingoSync	lingosync
LinklessGPT	linklessgpt
Linky	linky
LINQ Me Up	linq-me-up
Lintrule	lintrule
Lionvaplus	lionvaplus
Listener App	listener-app
Listingcopy.ai	listingcopy-ai
Listnr	listnr

GenAI 應用程式	App-ID
Literally Anything	literally-anything
LitGrades	litgrades
Litmaps	litmaps
LitRPG Adventures	litrpg-adventures
LiveChat	livechat
LiveKit KITT	livekit-kitt
LlamaChat	llamachat
LLMStack LangChain	llmstack-langchain
LMQL	lmql
LMSYS Org Chat	lmsys-org-chat
LocalBot	localbot
LogMeal	logmeal
LogoAI	logoai.com
Looka	looka
LoopCV	loopcv
Looti	looti
Loudly	loudly
Lovable	lovable
LoveGenius	lovegenius
LoveGPT	lovegpt
Loyae	loyae
Lucep	lucep
Ludo.ai	ludoai
Luma AI Video Maker	luma-ai-video-maker

GenAI 應用程式	App-ID
Luma Dream Machine	luma-dream-machine
Lumen5	lumen5-ai
Lumiere3D	lumiere3d
Luna.ai	luna-ai
Lunabot	lunabot
Luqo AI	luqo-ai
Luw.ai	luw-ai
Lyricfind Rotor	lyricfind-rotor
Maax AI	maax-ai
MacGPT	macgpt
MachineTranslation	machinetranslation
Maester	maester
Maestra	maestra
Mage	mage-space
Magical	magicalai
Magick	magick
Magicley Workflow Automation & Autofill AI Agent	magicley-wf-auto-ai-agent
Magic Prints	magic-prints
MagicRoomAI	magicroomai
MagicSchool	magicschool
MagicSlides	magicslides
Magic Studio	magic-studio
Magic Thumbnails	magic-thumbnails
Magify.design	magify-design

GenAI 應用程式	App-ID
Magnific AI	magnific
MAIGON	maigon
MAILE	maile
MailMaestro	mailmaestro
MailMentor	mailmentor
MailMonkey.ai	mailmonkey-ai
Mailr	mailr
Mailshake AI Email Writer	mailshake-ai-email-writer
Mailyr	mailyr
Maimovie	maimovie
Majorgen	majorgen
Makeasite.io	makeasite-io
Make-a-video	make-a-video
Makedraft	makedraft
MakeLogo AI	makelogo.ai
MakeMyTale	makemytale
Maket	maket
Makr.io	makr-io
Manga TV	manga-tv
Manja AI	manja-ai
MapsGPT	mapsgpt
MARA AI	mara-ai
Marcus Aurelius AI	marcus-aurelius-ai
MarketingCopy AI	marketingcopy

GenAI 應用程式	App-ID
MarketMuse	marketmuse
MarketOwl.ai	marketowl-ai
Markopolo.ai	markopolo.ai
Marlee	marlee
Marqo Marqo Cloud	marqo-marqo-cloud
MarsX	marsx
MasterAi SRLS AI RPG Master	masterai-srls-ai-rpg-master
Masterpiece Studio	masterpiecestudio
Match That Role	match-that-role
Mathly	mathly
Matigenix Plugin	matigenix-plugin
Maverick	maverick
Mavis AI Article Writer	mavis-ai-article-writer
Maxai	maxai
Mayday.ai	mayday
Mealify	mealify
MealPractice	mealpractice
Medicodio	medicodio
MediSearch	medisearch
MeetGeek	meetgeek
Meet Summary	meet-summary
Meetz	meetz
Meitu	meitu
MelodyStudio	melodystudio

GenAI 應用程式	App-ID
Mem	mem.ai
MemeCam	memecam
MemoryLane	memorylane
Mentum AI	mentum-app
Merlin AI	merlin-ai
Meta AI	meta-ai
Meta AI Segment Anything	segment-anything
Meta Galactica	meta-galactica
Meta Meta AI AI Studio	meta-meta-ai-ai-studio
MgrWorkbench.ai	mgrworkbench-ai
Micro1 AI Interviewer	micro1-ai-interviewer
Microapp	microapp
Microsoft 365 Copilot	ms-office365-copilot ms-office365-copilot-delete ms-office365-copilot-edit ms-office365-copilot-upload
Microsoft Copilot	microsoft-copilot
Microsoft Copilot Studio	ms-copilot-studio
Microsoft Custom Recognition Intelligent Services (CRIS)	microsoft-custom-rec
Microsoft Designer	microsoft-designer
Microsoft Paint 3D	microsoft-paint-3d
Microsoft Power Apps	ms-powerapps
Midjourney	midjourney
MightyGPT	mightygpt

GenAI 應用程式	App-ID
Miku.gg	miku.gg
Mindgrasp	mindgrasp
MindGuide	mindguide
MindPal	mindpal
Mindsera	mindsera
Mindsmith	mindsmith
Mindwell	mindwell
Minimap.ai	minimap-ai
Minvo Pro	minvo-pro
Mistral AI	mistral-ai
Mix Check Studio	mix-check-studio
Mixo	mixo
MJSplitter	mjsplitter
Mnemonic AI	mnemonic-ai
MobileGPT	mobilegpt
Mojju AI Assistant	mojju-ai-assistant
Molly Baz	molly-baz
Momento AI	momento-ai
Monica	monica-im
MoodFood	moodfood
Moonbeam	moonbeam
Moonidea AI-powered SAAS Idea Generation	moonidea-ai-saas-idea-gen
Moonvalley	moonvalley
Moovies AI	moovies-ai

GenAI 應用程式	App-ID
Morphlin	morphlin
MotionIt AI	motionit-ai
MovieToEmoji	movietoemoji
Movmi	movmi
MultiLipi	multilipi
Murf AI	murf
musiclawyer.ai	musiclawyer-ai
Musico	musico
MusicStar.AI	musicstar-ai
MyAiTeam	myaiteam
My AskAI	myaskai
MyCharacter AI	mycharacter
MyEssai	myessai
MyEssayWritera.i	myessaywritera.i
My GPT Wizard	my-gpt-wizard
MyHeritage Deep Nostalgia	myheritage-deep-nostalgia
MyKaraoke Video Online Karaoke Video Maker	mykaraoke-video-online-maker
MyMap	mymap
MyPhotoByAI AI Tool Hub	myphoto-byai-tool-hub
MyPrint.ai	myprint-ai
My Real Estate Listing	my-real-estate-listing
My Room Designer	my-room-designer
MySocialPulse	mysocialpulse
Myst News	myst-news

GenAI 應用程式	App-ID
Myth AI	myth-ai
MyVocal.AI	myvocal-ai
Nack AI	nack-ai
Naklecha Colab Copilot	naklecha-colab-copilot
Named by AI	named-by-ai
Name Generator	name-generator
NameSnack	namesnack
Naming Magic	naming-magic
Namy.ai	namy-ai
Narration Box	narration-box
Narrato	narrato-workspace
Nastia	nastia
Nat.dev OpenPlayground	nat-openplayground
NatterGPT	nattergpt
Natural Language Playlist	natural-language-playlist
NaturalReader	naturalreaders
Nekton	nekton
Neohyre AI-powered Hiring Platform	neohyre-ai-hiring-platform
NeonRev AI Agents	neonrev-ai-agents
Netcrumb	netcrumb
NeThing.xyz	nething-xyz
Netus AI	netus-ai
Neural.Love	neural-love
NeuralCam AI Camera	neuralcam-ai-camera

GenAI 應用程式	App-ID
Neural Canvas	neural-canvas
Neural Frames	neural-frames
Neural Newsletters	neural-newsletters
NeuralText	neuraltext
Neuroflash	neuroflash
Neurons Neuronsinc	predict-by-neurons
NeuroSpell	neurospell
NewsGPT	newsgpt
Newsletter Pilot	newsletter-pilot
Newswriter	newswriter
Nexmind AI	nextmind-ai
Nextatlas	nextatlas
NextBrain	nextbrain
NextThreeBooks	nextthreebooks
NightCafe	nightcafe
Nightcap	nightcap
NimbleBox Tune	nimblebox-tune
Ninja AI	ninja-ai
NLP Cloud	nlpcloud nlpcloud-delete nlpcloud-post nlpcloud-share
NLP Cloud API	nlpcloud-api
NLSQL	nlsql
Nolan	nolan

GenAI 應用程式	App-ID
Nolej	nolej
Nolu	nolu
NoowAI	noowai
NoteGPT	notegpt
Notevibes	notevibes
Notey.AI	notey-ai
Notion	notion notion-logout notion-download notion-upload notion-delete
Notta AI	notta-ai
NovelAI	novelai
NovelistAI	novelistai
Novel Vision AI DoMore.ai Story Generator	novel-vision-ai
NSFW Character AI	nsfw-character-ai
NuMind	numind
Nutrecity	nutrecity
Nyle AI Copywriting	nyle-ai-copywriting
Nyx.gallery	nyx-gallery
ObfusCat	obfuscat
Obsidian Copilot	obsidian-copilot
Obviously AI	obviously-ai
Ocode.dev Image to Code Generator AI	ocode-dev-img-to-code-gen-ai
Ocoya	ocoya

GenAI 應用程式	App-ID
Ocoya App	occoya-app
Octocom	octocom
OctoEverywhere Gadget	octo-everywhere-gadget
Octolens	octolens
Oda AI Studio	oda-ai-studio
OddVibe	oddvibe
OLINTEK Cargo Load & ULD Build-up	olintek-cargo-load-uld-buildup
Olympia	olympia
Omi AI	omi-ai
Omneky	omneky
Omniracle AI Search	omniracle-ai-search
Once Upon a Bot	once-upon-a-bot
One AI	oneai
OneConscious AI	oneconscious-ai
One Panel	one-panel
OnlyWaifus.ai	onlywaifus-ai
ONVY	onvy
Opax	opax
OpenAI	openai-base
OpenAI API	openai-api
OpenAI ChatGPT	openai-chatgpt openai-chatgpt-uploading
OpenAI Dalle	openai-dalle openai-dalle-uploading openai-dalle-downloading

GenAI 應用程式	App-ID
OpenAI ChatGPT Download	openai-chatgpt-download
OpenAI Google Workspace Deep Researcher	deepresearcher
OpenCraft AI	opencraft-ai
OpenLibreAI	openlibreai
OpenLIT	openlit
Openread	openread
Opnbx	opnbx
Opus.pro OpusClip ClipAnything	opus-pro-opusclip-clipanything
Opus Clip	opusclip
Ora	ora.ai
Orbofi	orbofi
Orchard Ink	orchard-ink
Orq.AI	orq.ai
Oscar Stories	oscar-stories
Otio	otio
Otter AI	otter.ai otter.ai-delete otter.ai-download otter.ai-logout
OurBabyAI	ourbabyai
Outerbase	outerbase
Outfits AI	outfits-ai
Outranking	outranking
Oxolo	oxolo
Ozette	ozette

GenAI 應用程式	App-ID
Pageify.ai Shopify Pageify	pageify-ai-shopify-pageify
PagerDuty Runbook AI	pagerduty-runbook-ai
Paint by Text	paint-by-text
Palette	palette
PaletteBrain	palettebrain
PandaChat	pandachat
Pandorabots	pandorabots
Paperclips	paperclips
Paperpal	paperpal
Paradot	paradot
Paradox.ai	paradox
Parafact	parafact
ParagraphAI	paragraphai
Paragraphica	paragraphica
Paraphrase Tool	paraphrase-tool
Parea AI	parea-ai
Parsagon	parsagon
Parseflow	parseflow
PartyRock	partyrock
PasswordGPT	passwordgpt
Pathwright	pathwright
Paymefy	paymefy
PdfGPT	pdfgpt
Penelope AI	penelope-ai

GenAI 應用程式	App-ID
Pepper Content Peppertype	peppertype.ai
PerfectEssayWriter.ai	perfect-essay-writer
PerfectGift.AI	perfectgift-ai
Perfect Tense	perfect-tense
Perplexity AI	perplexity-ai
Persado	persado
Persana AI	persana-ai
PersonaGPT	personagpt
PetPic	petpic
Pet Portrait AI	pet-portrait-ai
Pezzo	pezzo
Phenaki	phenaki
Phind	phind
Phot.AI	phot-ai
Photoleap	photoleap
Photomath	photomath
PhotoMyne	photomyne
Photoroom	photoroom photoroom-upload
Phraser	phraser
Phrasly	phrasly
Pi	pi
Piano Genie	piano-genie
Pickaxe	pickaxe-project

GenAI 應用程式	App-ID
Picmaker	picmaker
Picsart Quicktools AI Writer	picsart-quicktools-ai-writer
Picsart Quicktools Image Tools	picsart-quicktools-image
PicStudio.AI PIC Studio Pro Portraits	picstudio-ai-pro-portraits
PicTales	pictales
Pictory	pictory
Picture it	picture-it
Pienso	pienso
Pika	pika
Pika.art	pika-art
PillowTalks	pillowtalks
Pineapple Builder	pineapple-builder
Pinecone	pinecone
Pipl.ai	pipl-ai
Pirate Diffusion	pirate-diffusion
Pitches.ai	pitches-ai
PitchPal	pitchpal
PixAI.Art	pixai-art
Pixelate	pixelate
Pixelbin	pixelbin
PixelBin.io Upscale.media	upscale.media
Pixelcut	pixelcut
Pixiebrix	pixiebrix
Pixlr	pixlr

GenAI 應用程式	App-ID
Pixop	pixop
Planist.ai	planist-ai
Planpost AI Social Media Scheduler	planpost-ai-soc-media-scheduler
Plantrips	plantrips
PlayHT	play.ht
Playlab	playlab
PlaylistAI	playlistai
Plazmapunk	plazmapunk
Plicanta	plicanta
PluginLab	pluginlab
Plugin Lab	plugin-lab
Plumy	plumy
PodPulse	podpulse
Podsift	postsift
Poe	poe
Poised	poised
PokeAI	pokeai
POKEIT	pokeit
Polarr Copilot	polarr-copilot
PolitePost	politepost
Pollinations	pollinations
Poly	poly
PolyAI	polyai
Polycam	polycam

GenAI 應用程式	App-ID
Polymath Robotics	polymath-robotics
Pooks.ai	pooks-ai
PopAi	popai
PortfliX	portfliX
Postwise	postwise
Powerbrain	powerbrain
PowerReader	powerreader
Powerpresent AI	powerpresent-ai
PowerText	powertext
PPC Ad Editor	ppc-ad-editor
PracticeTalking	practicetalking
Pragma AI	pragma-ai
Praygen	praygen
Predis AI	predis.ai
Prem AI	prem-ai
PrepAI	prepai
PresentationGPT	presentationgpt
Presshook	presshook
Pretrained AI	pretrained.ai
Prezo	prezo
Prisma Labs Prisma	prisma-labs-prisma
Private AI	private-ai
Private LLM	private-llm
ProAI	proai

GenAI 應用程式	App-ID
Procys	procys
Prodia	prodia
Product Fetcher Fetcher	product-fetcher
Productify.ai	productify-ai
Professionalize It To Me	professionalize-it-to-me
Project December	project-december
Prome AI	prome-ai
PromptFolder	promptfolder
PromptHero	prompthero
Prompt Hunt	prompt-hunt
Promptitude	promptitude
Promptloop	promptloop
Promptly	promptly
PromptoMANIA	promptomania
Prompt Park	prompt-park
Prompt Refine	prompt-refine
Prompt Storm	prompt-storm
Proofread Bot	proofreadbot
ProPhotos.ai	prophotos-ai
Proposal Genie	proposal-genie
Proseoai	proseoai
ProShots	proshots
Prospre	prospre-io
ProtoText	prototext

GenAI 應用程式	App-ID
PseudoEditor	pseudoeditor
Pulz.io	pulz-io
q.page	q-page
QashBoard	qashboard
Qlip AI	qlip-ai
QOOP	qoop
QuantPlus	quantplus
Quench.AI	quench-ai
QueryKitty	querykitty
Quest	quest
Questgen	questgen
Question Base	questionbase
Quickchat AI	quickchat
Quick Creator	quick-creator
Quickeee	quickeee
Quicklines.ai	quicklines.ai
QuickPen AI	quickpen-ai
QuickVid	quickvid
Quilgo	quilgo
Quillbot	quillbot
QuillNow	quillnow
Quino	quino
QuizNex	quiznex
Quiz Wizard	quiz-wizard

GenAI 應用程式	App-ID
Quso.ai	quso-ai
Qwen Chat	qwen-chat
RadioNewsAI	radionewsai
Rapidata Access PaySuite	rapidata-access-paysuite
Raplyrics	raplyrics
Raregenie	raregenie
Rasa	rasa
基本原理	rationale
Raw Shorts	raw-shorts
Raycast AI	raycast
Read AI	read-ai
Readshark	readshark
Read To Me	read2me
ReadTrellis	trellis
Realfake	realfake
Realtor Blogs	realtor-blogs
RealtyNinja AI Listing Description Generator	realtyninja
RebeccAi	rebeccai
Recall AI	recall-ai
Recapio GPT	recapio-gpt
Receptor AI	receptor-ai
RecipeGPT	recipegpt
Reclaim AI	reclaim.ai
Recless	recless

GenAI 應用程式	App-ID
Recraft	recraft
RecruitGenius	recruitgenius
Redacta.me	redacta-me
Reely.ai	reelyai
Reemix	reemix
Reface	reface
Refact.ai	refact-ai
Refire Design GPT Stylist	refire-design-gpt-stylist
Refraction	refraction
Regem AI Writer	regem-ai-writer
Regex.ai	regex-ai
Regex Generator	regex-generator
Regie AI	regie.ai
REImagine Home	reimagine-home
Rejoy	rejoy
Rejuve.AI	rejuve-ai
Remail	reemail
Remini	remini-app
RemixFast	remixfast
RemoveBg	remove-bg
Ren	ren
RenderLion AI Video Generator	renderlion-ai-video-gen
RepBot	repbot
Rephrase AI	rephrase.ai

GenAI 應用程式	App-ID
Replai.so	replai
Replica	replica
ReplicantLife	replicantlife
Replicate	replicate
Repliiio Reply.io AI Email Reply Generator	repliiio-replyio-ai-email-gen
Replika	replika
Replix AI	replix-ai
Reply	reply-com
ReplyAce	replyace
ReplyPilot	replypilot
Repurpose.io	repurpose-io
ReRender AI	render-ai
Research AI	research-ai
Resemble AI	resemble
Resign AI	resign-ai
Resoluship	resoluship
Resoomer	resoomer
Resoume	resoume
Respecher	respecher
RestorePhotos.io	restorephotos-io
Resume AI	resume-ai
ResumeBoostAI	resumeboostai
Resumecheck	resumecheck
ResumeMaker.Online	resumemaker-online

GenAI 應用程式	App-ID
Resume Revival	resume-revival
Resume Trick	resume-trick
Retune	retune retune-uploading
RevMake.ai	revmake-ai
Revoicer	revoicer
Revrag.ai	revrag-ai
REWIN.AI	rewin-ai
Reword	reword
RewriteIT	rewriteit
Rewritify AI	rewritify-ai
RhetorAI	rhetorai
Rhino.ai	rhino-ai
Riffusion	riffusion
Rightjoin	rightjoin
Riku.ai	riku.ai
RingCentral RingSense	ringsense
Ritik LoveTunesAI	ritik-lovetunesai
RivalOut AI Tech Suite Rival Analysis & Comparison	rivalout
Rizemail	rizemail
Rizz	rizz
RNA Digital Agent Cloud	rnadigital-agent-cloud
Roam Around	roam-around
Roast My Web	roast-my-web

GenAI 應用程式	App-ID
Robin AI	robin-ai
Robin Assistant	robin-assistant
RoboDialog	robodialog
Rocketfy	rocketfy
RolePlai	roleplai
Romantic AI	romantic-ai
RoomGPT	roomgpt
Roost.ai	roost-ai
Rory Tells Stories	rory
Rosebud	rosebud
RovioAI	rovioai
RubyGPT AI	rubygpt-ai
Runday	runday
RunPod	runpod
Runway	runway-app
RushRoto Studio	rushroto-studio
Ryan Robinson Blog Generator	ryan-robinson-blog-generator
Rytar	rytar
SaasyDB	saasydb
SafeSpelling	safespelling
Saga	saga
Salechaty	salechaty
Salesforce LeverBot	salesforce-leverbot
Salesforce Service Cloud	salesforce-service-c

GenAI 應用程式	App-ID
Salesforge	salesforge
Salient	salient
Samplette	samplette
Samwell	samwell
Sana AI	sanalabs
Sapien SAPIEN Software Suite	sapien-software-suite
Sapling	sapling.ai
Sassbook	sassbook.com
Savey Meal-Bot	savey-meal-bot
Saystory	saystory
Scale AI	scale-ai
Scalnut	scalnut
情況	scenario
Scholarcy	scholarcy
School Hack	school-hack
SciPub+	scipubplus
SciSpace AI Chat	scispace-ai-chat
SciSummary	scisummary
Sckian	sckian
ScrappyChef	scrappychef
ScreenApp AI Screen Recorder	screenapp-ai-screen-recorder
Scribbyo	scribbyo
Scrip AI	scrip-ai
Scriptreader.ai	scriptreader-ai

GenAI 應用程式	App-ID
Scrivvy	scrivvy
SeaArt AI	seaart-ai
Seanceai	seanceai
SearchGPT	searchgpt
SEC Insights	sec-insights
Seek AI	seek-ai
Seenapse	seenapse
Selfgazer	selfgazer
Selfpause	selfpause
SellScale	sellscale
Semantic Scholar	semanticsscholar
Sembly AI	sembly
SENEX Intelligent Chain	senex-intelligent-chain
Sensetime AI	sensetime-ai
SentiSight.ai	sentisight-ai
SEO.ai	seo.ai
SEO Content AI	seo-content-ai
SEOMATIC	seomatic
SEO Vendor SEO GPT	seo-vendor-seo-gpt
SEO Writing AI	seo-writing-ai
SermonGPT	sermongpt
SERP AI Chat LLaMA	serp-ai-chat-llama
Seth's Blog	seths-blog-bot
Setlist Predictor	setlist-predictor

GenAI 應用程式	App-ID
SFX Engine	sfx-engine
Shakespeare AI	shakespeare-ai
Shakespeare Toolbar	shakespeare-toolbar
Shaping Tomorrow	shaping-tomorrow
Sharly AI	sharly-ai
Sheepscript.ai	sheepscript-ai
ShillBot	shillbot
ShipFast ShipFast Suite	shipfast-suite
Shmooz AI	shmooz-ai
Shopia	shopia
ShortlistIQ	shortlistiq
ShortlyAI	shortlyai
Shownotes	shownotes
Sibyl AI	sibyl-ai
SideChat	sidechat
Sider	sider
Signapse AI	signapse-ai
Signature AI	signature-ai
Silatus	silatus
Similarvideo AI Viral Video Generator	similarvideo-ai-viral-gen
Simon Says	simon-says-ai
SimpleMail	simplemail
Simplified	simplified
SimplyBudget AI	simplybudget-ai

GenAI 應用程式	App-ID
Simulatrex	simulatrex
Sindre Sorhus Aiko	sindre-sorhus-aiko
Sindre Sorhus Amazing AI	sindre-sorhus-amazing-ai
Sindre Sorhus QuickGPT	sindre-sorhus-quickgpt
Sintelly CBT Therapy Chatbot	sintelly-cbt-therapy-chatbot
Sirocco-Ventures RAGGENIE	sirocco-ventures-raggenie
SiteAudits.ai	siteaudits-ai
SiteExplainer	siteexplainer
SiteGuide	siteguide
Sixty AI	sixty-ai
Sketch2App	sketch2app
Sketchchar	sketchchar
Sketch Metademolab	metademolab-sketch
SketchPro	sketchpro
Skillate	skillate
Skim AI	skim-ai
Skinive AI	skinive-ai
Skipit	skipit
Skylum Luminar Neo	skylum-luminar-ai
Slack AI	slack-ai
Slang Thesaurus	slang-thesaurus
Slash Dreamer	slash-dreamer
Slate Keyboard	slate-keyboard
Slazzer	slazzer

GenAI 應用程式	App-ID
SlidesAI	slidesai
Slideworks Wolfe	slideworks-io-wolfe
Sloyd	sloyd
Smart Copy	smart-copy
SmartflowAI	smartflowai
SmartGiftAI	smartgiftai
SmartGPT	smartgpt
Smart Skills	smart-skills
SmartWriter	smartwriter
SmartXiv SMART Technologies	smartxiv-smart-tech
SmartyNames	smartynames
Smodin	smodin
SmythOS	smythos
Snack Prompt	snack-prompt
Snackz.ai	snackz-ai
Snipd Podcast Summaries	snipd-podcast-summaries
Snowpixel	snowpixel
SocialBee AI Post Generator	socialbee-ai-post-generator
Socialite AI	socialite-ai
Social Signal AI	social-signal-ai
Socrates Private AI	asksocrates
Socratic	socratic socratic-uploading
SolidGrids	solidgrids

GenAI 應用程式	App-ID
SolidPoint	solidpoint
Sonero	sonero
SongGPT Atomic Songwriter AI Music Generator	songgpt-atomic-songwriter-ai
Songtell	songtell
Sonify	sonify
Soofy	soofy
SoulGen	soulgen
Soul Machines	soulmachines
Soundful	soundful
Soundhound	soundhound
SourceAI	sourceai
SourceGraph Cody	sourcegraph-cody
Spacely AI	spacely-ai
Spark Engine	spark-engine
SparkyAI	sparkyai
Spectral	spectral
Speechactors	speechactors
SpeechEasy	speecheasy
SpeechGen	speechgen
Speechify	speechify
Speechmatics	speechmatics
Spellbook	spellbook
SpellBox	spellbox
SpicyChat.AI	spicychat-ai

GenAI 應用程式	App-ID
Spinach AI Meeting Assistant	spinach-ai-meeting-assistant
Spin Rewriter AI	spin-rewriter-ai
SplashHQ	splashhq
Splice.com	splice-com
Spline AI	spline-ai
SPRKR AI Marketing Platform	sprkr-ai-marketing-platform
Sqriblr	sqriblr
SREFs Code Curator	srefs-code-curator
Stable Audio	stable-audio
Staccato	staccato
Stager AI	stager-ai
StarByFace	starbyface
Starryai	starryai
Staypia	staypia
StealthGPT	stealthgpt
StealthWriter	stealthwriter
Steamlabs Podcast Editor	type-studio
Steamship	steamship
Stellaris AI	stellaris-ai
Stellarstaff Virtual Assistant	stellarstaff-virtual-assistant
Stenography	stenography
SteosVoice	steosvoice
Steve AI	steve.ai
Stocking AI	stocking

GenAI 應用程式	App-ID
Stories by AI	stories-by-ai
Stork Media	stork-media
Storychat	storychat
Storyd	storyd
StoryNest AI	storynest
StoryPear	storypear
StoryScape AI	storyscape-ai
Storytailor	storytailor
Storywiz	storywiz
Straico	straico
Stretch	stretch
StructuredLabs Preswald	structuredlabs-preswald
Strut	strut
StudyCrumb Paraphraser	studycrumb-paraphraser
StyleMyRide	stylemyride
Subtxt	subtxt
Sudowrite	sudowrite
SumlyAI	sumlyai
Summarist.ai	summarist-ai
Summarize.tech	summarize-tech
SummarizePaper	summarizepaper
Summarizer	summarizer
SummarizeThis	summarizethis
Summary Box	summary-box

GenAI 應用程式	App-ID
Summate.it	summate-it
SummaVerse	summaverse
Summify	summify
Suno	suno
Super.AI	super-ai
Superagent	superagent
Supercreator	supercreator
Superflows	superflows
Superhuman	superhuman
Superlines	superlines
Supermeme	super-meme
SuperReply	superreply
Supertranslate	supertranslate
Support Board	support-board
Surfer	surfer surfer-logout
Sutro	sutro
Suzan AI	suzan-ai
SwapAnything.io	swapanything-io
SWAPP	swapp
Swiftnotes.ai	swiftnotes-ai
Swimm AI	swimm
Switchboard	switchboardai
Sybill	sybill

GenAI 應用程式	App-ID
Syllaby	syllaby
SymptomChecker.io	symptomchecker-io
Syndie.io	syndie-io
Synergia Pro Sp. z o.o.AI Diagram Generator	synergia-pro-ai-diagram-gen
Synthesia	synthesia
SyntheticAldata	syntheticaidata
Tabirim	tabirim
Tabnine	tabnine
Tagbox	tagbox
Talkpal	talkpal
Talk To Walle	talk-to-walle
Tallyrus	tallyrus
Tammy AI	tammy-ai
TangoFlux	tangoflux
Tapesearch	tapesearch
Taplio	taplio
Taption	taption
Taranify	taranify
Taskade	taskade
TattoosAI	tattoosai
Tavus	tavus
Teachable Machine	teachable-machine
Teacherbot	teacherbot
TeacherMatic	teachermatic

GenAI 應用程式	App-ID
Team-GPT	team-gpt
TeamSmart AI	teamsmart-ai
Tenorshare AI	tenorshare-ai
TensorZero	tensorzero
Tethered	tethered
Tetra	tetra
TexTalky	textalky
Textengine.io	textengine.io
Textero AI	textero
TextGen	textgen
Texti	texti
TextLayer AI	textlayer-ai
TextSynth	textsynth
TextUnbox Utilize AI	textunbox-utilize-ai
T-Fashion	t-fashion
ThankYouNote	thankyounote
Thatch Virtual Mailbox	thatch-virtual-mailbox
The Drive AI	the-drive-ai
The Generative Press	the-generative-press
The Good AI	the-good-ai
TheLoops	theloops
Thena	thena
Theneo	theneo
These Lyrics Do Not Exist	these-lyrics-do-not-exist

GenAI 應用程式	App-ID
ThinkAny	thinkany
ThinkForce	thinkforce
Thinkwee iAgents	thinkwee-iagents
ThirdAI PocketLLM	thirdai-pocketllm
This Model Does Not Exist	this-model-does-not-exist
ThisPersonDoesNotExist	thispersondoesnotexist
ThisResumeDoesNotExist	thisresumedoesnotexist
ThoughtSpot	thoughtspot
TII Falcon LLM	tii-falcon-llm
Tilores IdentityRAG	tilores-identityrag
TimeComplexity.ai	timecomplexity-ai
TimelineCraft	timelinecraft
Tinder Glowup	tinder-glowup
Tinq.ai	tinq-ai
TinyWow	tinywow
TL/DR AI	tldr-ai
TL/DV	tldv
TLDR This	tldr-this
Togal AI	togal
Together AI Llama Coder	together-ai-llama-coder
Toivo.ai	toivo-ai
Tokeet	tokeet
Token Counter	token-counter
Tome	tome

GenAI 應用程式	App-ID
ToolBuilder	toolbuilder
Tool Finder	tool-finder
Toolsaday	toolsaday
Topaz Labs	topaz-labs
Top Free AI Tools	top-free-ai-tools
To-Teach	to-teach
TotemoTech	totemotech
Toypal AI Storytelling Toy	toypal-ai-storytelling-toy
Track My Bot	track-my-bot
Trade Foresight	trade-foresight
Tradytics	tradytics
TrainEngine.ai	trainengine-ai
Transperfect Semantix	semantix
Travelnaut	travelnaut
TrendSwell.ai	trendswell-ai
T-Rex Label	t-rex-label
Tribescaler	tribescaler
Trievе Sitesearch	trieve-sitesearch
Triibe	triibe
Trinka	trinka
TripOffice	tripoffice
Tripper	tripper
Trip Planner AI	trip-planner-ai
TrueBees	truebees

GenAI 應用程式	App-ID
Truewind	truewind
Truffle Bot	truffle-bot
Try it on AI	try-it-on-ai
TSA PreCheck	tsa-precheck
TSUBA.AI	tsuba-ai
TTS Labs	ttslabs
TTSMaker	ttsmaker
TubeBuddy	tubebuddy
Tulsk	tulsk
tulz.AI	tulz-ai
Turing Robot	turing-robot
Turncage	turncage
Turnitin	turnitin
TutorAI	tutorai
Twain	twain
Tweet AI	tweet-ai
Tweetify It	tweetify-it
Tweetstorm	tweetstorm
TweetyAI	tweetyai
Twig AI	twig-ai
TwoSlash	twoslash
TXTGENIE AI	txtgenie-ai
Txt Muse	txt-muse
Txtplay AI	txtplayai

GenAI 應用程式	App-ID
Typecast	typecast-ai
Typeface	typeface
TypeGenie	typegenie
Typeright	typeright
Typewise	typewise
TypingMind	typingmind
Typli AI	typli.ai
TYPPO	typpo
U2XAI	u2xai
UberCreate	ubercreate
Uberduck	uberduck
UberHuman	uberhuman
Udio	udio-ai
UiMagic	uimagic
UKit AI	ukit-ai
ULog	ulog
UltraMail	ultramail
Uminal	uminal
Unakin	unakin
Unbound	unbound
Undetectable AI	undetectable
Uniglobal Careers	uniglobal-careers
Unite.AI	unite-ai
Unriddle	unriddle

GenAI 應用程式	App-ID
Unscreen	unscreen
Unspam.email	unspam.email
Unsummary	unsummary
UpCat	upcat
Upheal	upheal
UpSum	upsum
Upword	upword
Ursula	ursula
UseChat	usechat
Use Motion	use-motion
UserCall	usercall
Userdoc	userdoc
User Evaluation	user-evaluation
User Story Generator	user-story-generator
Vacay Chatbot	vacay-chatbot
Validator AI	validator-ai
ValidMind	validmind
Vana Portrait	vana-portrait
VanceAI	vanceai
Vanna.AI	vanna.ai
Varolio	varolio
Vavetek.AI Hexagon PPM BAMROC	vavetek-ai-hexagon-ppm-bamroc
Vectara	vectara
Vectorizer.AI	vectorizer-ai

GenAI 應用程式	App-ID
VectorUbi	vectorubi
Veep.AI	veep-ai
Veezoo	veezoo
Venturefy	venturefy
VenueLog	venueolog
Verbaly	verbaly
Verbalyz	verbalyz
Vercel AI SDK	vercel-ai-sdk
Verge AI	verge-ai
Veritone VocaliD	vocalid
Versational	versational
Versy.ai	versy-ai
Vervoe	vervoe
Vibrato	vibrato
VidboardApp	vidboardapp
Vidby	vidby
Video2Recipe	video2recipe
Video Candy	video-candy
VideoGenTools	videogentools
Video Highlight	video-highlight
Videoleap	videoleap
Video Tap	video-tap
Videotranslator	videotranslator
Vidiq	vidiq

GenAI 應用程式	App-ID
Vidyo.ai	vidyo-ai
Viesus Cloud	viesus-cloud
Viggle	viggle
Virtual House Flip	virtual-house-flip
Virtual Sapiens	virtual-sapiens
Virtual Staging AI	virtual-staging-ai
Virtuoso QA	virtuoso-qa
Visla AI Video Generator	visla-ai-video-generator
Visus	visus
Vizard.ai	vizard.ai
Vizcom	vizcom
Vizly	vizly
VOC AI	voc-ai
VocalRemover	vocalremover
Vocapia	vocapia
Voice.ai	voice-ai
Voiceflow	voiceflow
Voiceley	voiceley
Voicemaker	voicemaker
Voicemod	voicemod
VoiceOverMaker	voiceovermaker
Voice Over Your Phone	voice-over-your-phone
Voicera	voicera
VoiceType	voicetype

GenAI 應用程式	App-ID
Voicify AI	jammable
Voicv Google Voice Clone Your Voice	voicv-google-voice-clone
Voila	voila-ai
Vortn	vortn
Voxqube AI Dubbing	voxqube-ai-dubbing
VozFly	vozfly
vPhrase Phrazor	phrazor-by-vphrase
VSL.AI	vsl-ai
W.A.I.T	wait
WaifuChat	waifuchat
Waifu Labs	waifu-labs
WaifuXL	waifuxl
Waizart AI Exercise Maker	waizart-ai-exercise-maker
Wandpen AI Rewriter	wandpen-ai-rewriter
Warburg AI Whatfix Trading AI	warburg-ai-whatfix-trading-ai
Warp	warp
WarpSound	warpsound
WarpVideo AI	warpvideo-ai
Watermark Remover	watermark-remover
Watsonfinds	watsonfinds
Webapi AI	webapi.ai
WebBookingPro	webbookingpro
Webifier.io	webifier-io
WebLLM	webllm

GenAI 應用程式	App-ID
WebMagic AI	webmagic-ai
Webmaxy	webmaxy
WebPilot	webpilot
Website Summary AI	website-summary-ai
Webullar	webullar
Webyn	webyn
WeCheck AI	wecheck-ai
Weights & Biases	weights-and-biases
WellTra.AI Health Tracker	welltra-ai-health-tracker
WEVO Pulse AI	wevo.ai
What does this code do?	what-does-this-code-do
What Font Is	what-font-is
WhatsGPT	whatsgpt
WhatTheAI	whatthe-ai
What The Diff	what-the-diff
Whisprlist	whisprlist
Whybug Explain	whybug-explain
WindyFlo AI Solution	windyflo-ai-solution
WisdomPlan	wisdomplan
Wisecut	wisecut
Wise Talk	wise-talk
Wishes AI	wishes-ai
Wisio	wisio
WizAI	wizai

GenAI 應用程式	App-ID
WizzyGen	wizzygen
Woebot Health	woebot
WOMBO Dream	wombo-dream
Wonderchat	wonderchat
Wonderdynamics	wonderdynamics
Wonderplan	wonderplan
Wondershare Presentory	wondershare-presentory
WonsultingAI ResumAI	wonsultingai-resumai
Woord	woord
WordAi	wordai
WordfixerBot 文字摘要器	wordfixerbot-summarizer
WordHero	wordhero
Wordplay	wordplay
Wordtune	wordtune
Workflos	workflos
WorqHat WorqHat AI	worqhat-worqhat-ai
WOXO	woxo
Wpaibot	wpaibot
WP Summarize	wp-summarize
WPTurbo	wpturbo
Wraith Scribe	wraith-scribe
Write.homes	write-homes
Writechip	writechip
Writecream	writecream

GenAI 應用程式	App-ID
Writefull	writefull
Writefull X	writefull-x
WriteGPT	writegpt
WriteHuman	writehuman
WriteMage	writemage
WriteMe AI	writemeai
WriteMyEssays.ai	writemyessays-ai
WriteMyPrd	writemyprd
Writer's Toolbox	writers-toolbox
WriterBuddy	writerbuddy
Write Release	write-release
Writertai	writertai
Writerly	writerly
Writers brew AI	writers-brew
WriterX	writerx
Writesonic	writesonic
Writesonic AI Article Writer	writesonic-ai-article-writer
Writesonic Audiosonic	audiosonic
Writesonic Chatsonic	chatsonic
Writesonic Photosonic	photosonic
Writesonic SEO	writesonic-seo
WriteWise	writewise
Write with LAIKA	write-with-laika
Writio	writio

GenAI 應用程式	App-ID
Wudpecker	wudpecker
Wysa	wysa
WZRD	wzrd
xAI Grok	xai-grok
Xembly	xembly
xMap	xmap
Xpression Camera	xpression-camera
XSELL TECHNOLOGIES	xsell-technologies
XTuring	xturing
Xverse Saylo	xverse-saylo
Yaara	yaara
Yandex Speechkit	yandex-speechkit
Yarnit	yarnit
Yatter AI	yatter-ai
YCLens	yclens
Yepic AI Studio	yepic-ai-studio
YFJ.social Reggi	yfj-social-reggi
Yodayo	yodayo
Yoodli	yoodli
您	you
You Got Cooking	you-got-cooking
Youism	youism
Youper	youper
YourDoctor AI	yourdoctor-ai

GenAI 應用程式	App-ID
Yourfriends.ai	yourfriends-ai
YourMove AI	yourmove-ai
Your Political Place	your-political-place
YouTube Summarized	youtube-summarized
Yshade	yshade
yt-chat	yt-chat
YTSummary	ytsummary
Zaplingo Talk	zaplingo-talk
Zappit.ai	zappit-ai
Zazow	zazow
Zazzani	zazzani
Zealos.ai AiLabs by UBITECH Fact Checking AI	zealos
Zebracat AI	zebracat-ai
Zeemo	zeemo
Zefi.ai Zefi Tool Hub	zefi-ai-tool-hub
ZEG	zeg
ZenCall	zencall
Zendesk AI	zendesk-ai
Zendoc	zendoc
Zenen AI	zenen-ai
Zeni	zeni
Zenora AI Therapy App	zenora-ai-therapy-app
ZeroGPT	zerogpt
Zeus Notebook	zeus-notebook

GenAI 應用程式	App-ID
Zev	zev
ZipChat	zipchat
Zmo	zmo
Zomani	zomani
ZoomScape.ai	zoomscape-ai
ZOZO	zozo
Zuva LeaseLens	zuva-lease-lens
Zyng AI	zyng-ai

Enterprise Data Loss Prevention (E-DLP) 支援的 GenAI 應用程式

由 AI Access Security 支援的 SaaS 安全性微型應用程式

透過 SaaS 安全性 (SaaS Security Inline、Data Security 和 SaaS Security Posture Management 結合) 您具有一個整合的 CASB 解決方案, 其中提供更好的安全性結果, 沒有第三方整合的複雜性, 也沒有管理眾多使用舊版 CASB 的廠商所帶來的開銷和成本。使用 SaaS Security Inline 來探索和和管理未許可 SaaS 應用程式所帶來的風險。Data Security 會掃描雲端空間中的資產, 以進行靜態偵測、檢查和修復, 涵蓋已認可 SaaS 應用程式內的所有使用者、資料夾和檔案活動。SaaS Security Posture Management 可協助您使用內建的最佳做法偵測錯誤設定, 然後依嚴重性對錯誤設定進行分類, 以協助您優先處理風險。它還提供錯誤設定警示和跨應用程式快速修復問題的能力, 只需您按一下按鈕或手動使用簡單的指示。

Data Security

AI Access Security 會使用資料安全性, 來取得位於您網路中 ChatGPT Enterprise 應用程式的靜態資料的可視性和控制。選取 Insights (洞察) > AI Access (AI 存取), 並檢閱 Sensitive Data Assets (敏感資料資產) Widget 中的靜態資料資訊, 以查看已轉移到 ChatGPT 的敏感資產。導覽至 Data Security, 使用以下步驟調查上傳到 ChatGPT Enterprise 的敏感資產:

1. 選取 Manage (管理) > Configuration (設定) > SaaS Security (SaaS 安全性) > Data Security (資料安全性) > Data Assets (資料資產)。
2. 套用 Sensitive Asset:Yes (敏感資產: 是) 和 Application (Instance):ChatGPT Enterprise (應用程式 (執行個體)): ChatGPT Enterprise 篩選器。

SaaS Security Inline

AI Access Security 會使用 SaaS Security Inline 來充分了解數百個 GenAI 應用程式。您可以在 SaaS Security Inline 應用程式字典中檢閱 GenAI 應用程式及其屬性 (Manage (管理) > Configuration (設定) > SaaS Security (SaaS 安全性) > Discovered Apps (探索到的應用程式) > Application Dictionary (應用程式字典)), 以新增篩選器並套用 GenAI 應用程式。

SaaS Security Posture Management

AI Access Security 會使用 SaaS Security Posture Management 充分了解來自應用程式市集的第三方 GenAI 外掛程式, 適用於各種 SaaS 應用程式。您可以在 Plugins (外掛程式) Widget 中檢視這些外掛程式。或者, 您可以前往 SaaS Security Posture Management 第三方外掛程式頁面 (Manage (管理) > Configuration (設定) > SaaS Security (SaaS 安全性) > Posture Security (態勢安全性) > 3rd Party Plugins (第三方外掛程式) > Plugins (外掛程式)), 以新增篩選器並套用 GenAI 應用程式。

Prisma Access Browser 的 AI Access Security 儀表板

這可在何處使用？	我需要哪些內容？
<ul style="list-style-type: none"> • Prisma Access Browser 獨立 	<ul style="list-style-type: none"> □ Prisma Access Browser 獨立授權

AI Access Security 與 Prisma Access Browser 整合，為 Prisma Access Browser 獨立客戶提供全面的 GenAI 可視性、存取控制、資料和威脅防護。此整合提供最全面的 GenAI 應用程式目錄，內含資料分類和即時威脅防禦等深度最後一哩路控制功能。身為 Prisma Access Browser 獨立安全性管理員，您可以在 [Insights (洞察)] 功能表下存取 AI Access Security，以透過 Prisma Access Browser 監控第三方 AI 應用程式使用情況，並掌握詳細分析，包括應用程式指標、使用者活動、偵測到的威脅和資料傳輸。

GenAI 應用程式監控功能提供詳細的應用程式指標，包括總數、允許和封鎖的 GenAI 應用程式，讓管理員能夠全面監督 AI 工具在其組織內的使用情況。此外，獨特的 GenAI 使用者追蹤能力還提供使用者存取模式的可視性，允許管理員深入了解個別使用者的活動，並透過增強的事件頁面篩選系統檢閱已針對特定使用者允許或封鎖的 GenAI 應用程式。

安全性增強包括進階威脅偵測能力，專門監控並封鎖 GenAI 應用程式內的惡意 URL 和檔案。系統現在透過威脅偵測 Widget 提供詳細的威脅分析，按惡意軟體類型對安全性事件進行分類，包括惡意網站和檔案型威脅。透過新的資料傳輸監控系統，資料保護已顯著加強，該系統利用企業資料遺失防護 (E-DLP) 設定檔來偵測各種活動中的敏感資料事件，包括檔案上傳和下載、剪貼簿操作、內容淨化、螢幕共用和列印活動。

執行初始 AI Access Security 設定

您必須先進行初始設定，然後才能開始使用 AI Access Security，在整個組織中安全地採用生成式 AI (GenAI) 應用程式。這包括啟用角色型存取、設定 Enterprise Data Loss Prevention (E-DLP) 以防止敏感資料外洩，以及建立弱點保護設定檔，以阻止入侵系統缺陷或未經驗權存取系統的嘗試。

此程序假設您已[啟動](#) AI Access Security 授權。

STEP 1 | 設定 Enterprise Data Loss Prevention (E-DLP)。

Enterprise DLP 是偵測引擎，可防止敏感資料外洩至 GenAI 應用程式。將 Enterprise DLP 資料設定檔與安全性政策規則建立關聯，以定義哪些資料會被視為敏感資料，以及偵測到敏感資料時 Enterprise DLP 所採取的動作。

1. 設定 Enterprise DLP。
 - **Panorama**—[安裝](#) Enterprise DLP 外掛程式。
 - **Strata Cloud Manager**—[啟用](#) Enterprise DLP。
2. 視需要編輯 Enterprise DLP [雲端內容](#)、[資料篩選](#)和 [片段設定](#)
3. 檢閱要在您的 Enterprise DLP 設定中使用的受支援進階[偵測方法](#)。

這些是用來防止敏感資料外洩的進階流量比對偵測技術。它們可與預先定義、自訂 regex 或進階資料設定檔中的檔案屬性資料模式的任意組合搭配使用。

4. 建立[資料模式](#)和[資料設定檔](#)，以定義敏感資料比對準則。



Palo Alto Networks 建議建立進階資料設定檔，因為它們允許您使用進階偵測方法技術來強化安全性態勢。

5. (僅限 **Strata Cloud Manager**) [修改 DLP 規則](#)以指定受影響的檔案類型和檔案方向 (上傳或下載)，以及偵測到敏感資料時 Enterprise DLP 所採取的動作。

STEP 2 | 啟用角色型存取以定義安全性管理員的存取權限。

設定存取權限 AI Access Security 和 Enterprise DLP，以及管理介面 (Panorama™ management server 或 Strata Cloud Manager)。

STEP 3 | 啟用 Gen-AI-Best-Practice 片段。

此片段為您的組織提供了一個起點，以實作安全性政策規則，將最佳做法用於 Palo Alto Networks 建議的 GenAI 應用程式採用。此片段可讓您快速允許存取已認可的 GenAI 應用程式，並預設封鎖廣泛的潛在風險 GenAI 應用程式。這有助於您的組織在仍然啟用生產力增強工具的同時，維持對 GenAI 應用程式使用情況的控制。

AI Access Security 預設會將 Gen-AI-Best-Practice 片段與預設全域設定資料夾建立關聯。您可以選擇將其保留與全域設定資料夾相關聯，或將其重新指派給特定資料夾或強制執行點。

STEP 4 | 關聯應用程式標記片段。

需要此片段才能支援標籤型政策規則強制執行。**Application-Tagging** 片段包含標記資訊，指示哪些 GenAI 應用程式已獲核准在您組織內使用。這些標籤會寫入至 **Application-Tagging** 片段或從中讀取，以確定應用程式標記為已認可還是已容許。未明確標記為已認可或已容許的應用程式會被視為未認可。這些標籤會顯示於 **AI Access Security**、活動洞察 **Applications**（應用程式）頁面，以及來自 **Application-Tagging** 片段中資訊的 **Strata Cloud Manager Command Center**。

STEP 5 | 建立一個弱點保護設定檔。

弱點保護設定檔與您的安全性政策規則相關聯，並阻止入侵系統缺陷或未獲授權存取系統的嘗試。

STEP 6 | （僅限 NGFW）建立一個內部信任區域以及一個輸出不受信任的區域。

這些區域採用邏輯方法將 NGFW 上的實體與虛擬介面分組，以控制及記錄在網路上周遊特定介面的流量。NGFW 上的政策規則使用區域來識別流量的來源及目的地。

內部信任區域指定源自您組織內部的流量，而輸出不受信任的區域指定以網際網路為目標的流量。


STEP 7 | 建立應用程式篩選器，將您想要對其套用相同安全性政策需求的 GenAI 應用程式動態分組。

AI Access Security 包含基於 GenAI 應用程式**使用案例**的動態預先定義 GenAI 應用程式篩選器。

STEP 8 | 建立自訂安全性政策規則以開始在您組織中安全地採用 GenAI 應用程式。

啟用對 **AI Access Security** 的角色型存取

透過將預先定義的角色指派給您的安全性管理員，來設定對 **AI Access Security** 的角色型存取。您指派給安全性管理員的預先定義角色定義了他們對 **AI Access Security** 的哪些部分擁有完全或部分的讀取和寫入存取權限。檢閱下表以瞭解哪些預先定義的角色授與對 **AI Access Security** 的角色型存取。此資訊僅涉及特定於 **AI Access Security** 的存取權限。如需所有預先定義角色及其授與哪些其他存取權限的詳細資訊，請檢閱[角色和權限](#)。

 不支援自訂角色。

預先定義的 AI Access Security 規則	權限
資料安全性管理員	AI Access Security 的完全讀取和寫入存取權限。
多租用戶超級使用者	特定多租用戶層級（指派角色所在位置）中所有租用戶的所有可用全系統功能的完全讀取和寫入權限。
安全性管理員	AI Access Security 的讀取及寫入存取權限。
超級使用者	租用戶的完全讀取和寫入權限，包括 AI Access Security 。 在多租用戶層級中，超級使用者角色特定於子租用戶，而不是頂層父租用戶或其他子租用戶。
僅檢視管理員	AI Access Security 的唯讀權限

- [NGFW](#)（由 [Panorama](#) 管理）
- [Prisma Access](#)（由 [Panorama](#) 管理）
- [NGFW](#)（由 [Strata Cloud Manager](#) 管理）
- [Prisma Access](#)（由 [Strata Cloud Manager](#) 管理）

為 AI Access Security 啟用角色型存取（由 Panorama 管理的 NGFW）

STEP 1 | 設定 Panorama 管理員帳戶和管理員角色。

管理員帳戶指定 Panorama 管理員的驗證和管理員角色權限。自訂管理員角色允許 Panorama 管理員的精細自訂存取權限。例如，如果指派的角色權限不允許管理員存取安全性政策規則，則管理員無法實作政策規則來控制對 GenAI 應用程式的存取。

STEP 2 | 為 Enterprise Data Loss Prevention (E-DLP) 啟用角色型存取。

這會定義存取權限，以設定 Enterprise DLP 資料模式和設定檔，來定義哪些資料被視為必須封鎖的敏感資料。如果您已設定對 Enterprise DLP 的角色型存取，或不想要為使用者設定對 Enterprise DLP 的存取，請略過此步驟。

STEP 3 | 為 AI Access Security 指派角色型存取。

1. 選取 **User**（使用者），並針對 **Identity Address**（識別位址），輸入您在先前步驟授與其存取權的電子郵件地址。
2. 對於 **Apps & Services**（應用程式與服務），選取 **AI Access Security**。
3. 選取預先定義的 **Common Services Role**（角色）。

STEP 4 | **Submit**（提交）。

為 AI Access Security 啟用角色型存取（由 Panorama 管理的 Prisma Access）

STEP 1 | 設定 Panorama 管理員帳戶和管理員角色。

管理員帳戶指定 Panorama 管理員的驗證和管理員角色權限。自訂管理員角色允許 Panorama 管理員的精細自訂存取權限。例如，如果指派的角色權限不允許管理員存取安全性政策規則，則管理員無法實作政策規則來控制對 GenAI 應用程式的存取。

STEP 2 | 為 Prisma Access 啟用角色型存取。

這會定義哪些管理員可以將設定變更從 Panorama 推送到您的 Prisma Access 租用戶。

STEP 3 | 為 Enterprise Data Loss Prevention (E-DLP) 啟用角色型存取。

這會定義存取權限，以設定 Enterprise DLP 資料模式和設定檔，來定義哪些資料被視為必須封鎖的敏感資料。如果您已設定對 Enterprise DLP 的角色型存取，或不想要為使用者設定對 Enterprise DLP 的存取，請略過此步驟。

STEP 4 | 為 AI Access Security 指派角色型存取。

1. 選取 **User**（使用者），並針對 **Identity Address**（識別位址），輸入您在先前步驟授與其存取權的電子郵件地址。
2. 對於 **Apps & Services**（應用程式與服務），選取 **AI Access Security**。
3. 選取預先定義的 **Common Services Role**（角色）。

STEP 5 | **Submit**（提交）。

為 AI Access Security 啟用角色型存取（由 Strata Cloud Manager 管理的 NGFW）

STEP 1 | 使用各種存取 Identity & Access（身分與存取）的方法之一。

STEP 2 | （僅限新管理員）將存取權新增至 AI Access Security 處於作用中狀態的租用戶。

只有在您授與 AI Access Security 存取權的使用者尚未向 Palo Alto Networks 客戶支援入口網站 (CSP) 註冊時，才需要此步驟。

STEP 3 | 為 AI Access Security 指派角色型存取。



如果僅需要存取 *Enterprise DLP*，則不需要為使用者設定租用戶角色。

1. 選取 **User**（使用者），並針對 **Identity Address**（識別位址），輸入您在先前步驟授與其存取權的電子郵件地址。
2. 對於 **Apps & Services**（應用程式與服務），選取 **AI Access Security**。
3. 選取預先定義的 **Common Services Role**（角色）。

STEP 4 | **Add Another**（新增另一個），為 Strata Cloud Manager 上的管理員啟用其他對訂閱的角色型存取。

針對您想要為其啟用角色型存取的每個訂閱，按一下 **Add Another**（新增另一個）。如果您只想要啟用對 AI Access Security 的角色型存取，請略過此步驟。

1. 為 AIOps for NGFW 啟用角色型存取。

這會控制管理員可以存取 Strata Cloud Manager 的哪些部分。例如，如果指派的角色權限不允許管理員存取 Web 安全性政策規則，則管理員無法實作政策規則，來控制對 GenAI 應用程式的存取。

2. 為 Enterprise Data Loss Prevention (E-DLP) 啟用角色型存取。

這會定義存取權限，以設定 Enterprise DLP 資料模式和設定檔，來定義哪些資料被視為必須封鎖的敏感資料。

3. 如果授權作用中，請為 SaaS Security Inline 啟用角色型存取。

如果您要將預先定義角色指派給管理員，請檢閱 [角色權限](#)。對 SaaS Security Inline 的角色型存取可以為您的管理員提供標記和設定 GenAI 應用程式風險分數的權限。

STEP 5 | **Submit**（提交）。

為 AI Access Security 啟用角色型存取（由 Strata Cloud Manager 管理的 Prisma Access）

STEP 1 | 使用各種存取 Identity & Access（身分與存取）的方法之一。

STEP 2 | （僅限新管理員）將存取權新增至 AI Access Security 處於作用中狀態的租用戶。

只有在您授與 AI Access Security 存取權的使用者尚未向 Palo Alto Networks 客戶支援入口網站 (CSP) 註冊時，才需要此步驟。

STEP 3 | 為 AI Access Security 指派角色型存取。



如果僅需要存取 *Enterprise DLP*，則不需要為使用者設定租用戶角色。

1. 選取 **User**（使用者），並針對 **Identity Address**（識別位址），輸入您在先前步驟授與其存取權的電子郵件地址。
2. 對於 **Apps & Services**（應用程式與服務），選取 **AI Access Security**。
3. 選取預先定義的 **Common Services Role**（角色）。

STEP 4 | **Add Another**（新增另一個），為 Strata Cloud Manager 上的管理員啟用其他對訂閱的角色型存取。

針對您想要為其啟用角色型存取的每個訂閱，按一下 **Add Another**（新增另一個）。如果您只想要啟用對 AI Access Security 的角色型存取，請略過此步驟。

1. 為 Prisma Access 啟用角色型存取。

這會控制管理員可以存取 Strata Cloud Manager 的哪些部分。例如，如果指派的角色權限不允許管理員存取 Web 安全性政策規則，則管理員無法實作政策規則，來控制對 GenAI 應用程式的存取。

2. 為 Enterprise Data Loss Prevention (E-DLP) 啟用角色型存取。

這會定義存取權限，以設定 Enterprise DLP 資料模式和設定檔，來定義哪些資料被視為必須封鎖的敏感資料。

3. 如果授權作用中，請為 SaaS Security Inline 啟用角色型存取。

如果您要將預先定義角色指派給管理員，請檢閱 [角色權限](#)。對 SaaS Security Inline 的角色型存取可以為您的管理員提供標記和設定 GenAI 應用程式風險分數的權限。

STEP 5 | **Submit**（提交）。

啟用 Gen-AI-Best-Practice 片段

啟動 AI Access Security 使您可以存取預先定義的 Gen-AI-Best-Practice 片段。此片段為您的組織提供了一個起點，以實作安全性政策規則，將最佳做法用於 Palo Alto Networks 建議的 GenAI 應用程式採用。此片段可讓您快速允許存取已認可的 GenAI 應用程式，並預設封鎖廣泛的潛在風險 GenAI 應用程式。這有助於您的組織在仍然啟用生產力增強工具的同時，維持對 GenAI 應用程式使用情況的控制。AI Access Security 預設將 Gen-AI-Best-Practice 片段與預設的全域設定資料夾建立關聯。

檢閱與預先定義的 Gen-AI-Best-Practice 片段相關聯的兩個安全性政策規則，以取得每個規則包含什麼內容的詳細資訊。

- 已認可的 GenAI 存取

已認可的 GenAI 存取安全性政策規則允許存取所有被分類為已認可應用程式的 GenAI 應用程式。已認可的 GenAI 存取政策規則是預先規則規則庫的一部分，因此政策規則評估優先於部署特有政策規則和後續規則規則庫。

- 位置—選取 **Manage**（管理） > **Configuration**（設定） > **NGFW and Prisma Access**（NGFW 和 Prisma Access） > **Security Services**（安全性服務） > **Security Policy**（安全性政策） > **Internet Security**（網際網路安全性）。
- 允許存取已認可的 GenAI 應用程式。
- 預設會停用。您需要手動啟用此安全性政策規則。
- 套用預先定義的已認可 GenAI 應用程式應用程式篩選器。

此應用程式篩選器根據其分類將 GenAI 應用程式分組，以動態強制執行安全性政策規則，而無需修改安全性政策規則。

- 適用於任何來源和目的地地址及使用者。

- 預設 **GenAI** 應用程式存取

預設 **GenAI** 存取安全性政策規則封鎖存取所有未被分類為**已認可**或**已容許**應用程式的 **GenAI** 應用程式。預設 **GenAI** 應用程式存取政策規則是 **後續規則規則庫**的一部分，因此政策規則評估會在部署特有的政策規則和預先規則規則庫之後進行。

- 位置—選取 **Manage**（管理） > **Configuration**（設定） > **NGFW and Prisma Access**（NGFW 和 Prisma Access） > **Security Services**（安全性服務） > **Security Policy**（安全性政策） > **Internet Security**（網際網路安全性）。
- 預設會停用。您需要手動啟用此安全性政策規則。
- 封鎖存取已容許或已認可的 **GenAI** 應用程式，或安全性政策規則未明確允許的任何 **GenAI** 應用程式，此安全性政策規則已在政策規則庫層級的預設 **GenAI** 應用程式存取政策規則之前進行評估。
- 套用預先定義的 **AI Access Security GenAI** 應用程式**應用程式篩選器**。

此應用程式篩選器根據 **GenAI** 應用程式分類標籤將 **GenAI** 應用程式分組，以動態強制執行安全性政策規則，而無需修改安全性政策規則。所有來自 **GenAI** 應用程式的流量預設都會套用此分類標籤。

- 適用於任何來源和目的地地址及使用者。

Security Policy Rules (2)												
☐	#	Name	Action	Security Posture	SOURCE				DESTINATION			Access C...
					Zone	Address	User	Device	Zone	Address	Device	
<input type="checkbox"/>	1	Sanctioned Gen AI Access	Allow		any	any	any	any	any	any	any	Sanction...
<input type="checkbox"/>	2	Default Gen AI App Access	Block		any	any	any	any	any	any	any	Show Detail Gen AI A...



片段不適用於 **Panorama**。不過，可以在 **Panorama** 上手動建立片段內的政策。如需詳細資訊，請聯絡您的客戶團隊。

STEP 1 | 登入 Strata Cloud Manager。

STEP 2 | 選取 **Manage**（管理） > **Configuration**（設定） > **NGFW and Prisma Access**（NGFW 和 Prisma Access） > **Security Services**（安全性服務） > **Security Policy**（安全性政策） > **Internet Security**（網際網路安全性）。

STEP 3 | 針對已認可的 **GenAI** 存取和預設 **GenAI** 應用程式存取，將 **State**（狀態）欄中的設定切換為 [enable（啟用）]。

STEP 4 | （選用）建立**安全性設定檔**並將其套用至已認可的 **GenAI** 存取政策規則。

安全性設定檔允許您將額外的安全性設定套用至允許的流量，以加強您的安全性態勢。例如，您可以將 **DLP 規則**與已認可的 **GenAI** 存取政策規則建立關聯，以防止敏感資料外洩到已認可的 **GenAI** 應用程式。或者，您可以使用 **AI Access Security 建議**，讓您的網路安全性管理員可以快速解決漏洞，並在採用 **GenAI** 應用程式時加強您的安全性態勢。

關聯應用程式標記片段

若要支持標記，可在 Strata Cloud Manager 中使用名為 **Application-Tagging** 的預先定義片段。需要此片段才能支援標籤型政策規則強制執行。**Application-Tagging** 片段包含標記資訊，指示哪些 GenAI 應用程式已獲核准在您組織內使用。這些標籤會寫入至 **Application-Tagging** 片段或從中讀取，以確定應用程式標記為已認可還是已容許。未明確標記為已認可或已容許的應用程式會被視為未認可。這些標籤會顯示於 **AI Access Security**、活動洞察 **Applications**（應用程式）頁面，以及來自 **Application-Tagging** 片段中資訊的 **Strata Cloud Manager Command Center**。

您可以根據 GenAI 應用程式的**風險分數**和其他考量**重新標記**應用程式。您套用的變更會寫入至 **Application-Tagging** 片段。然後，您可以將新的標籤作為設定變更推送到 NGFW 或 Prisma Access 部署。如果您在 NGFW 或 Prisma Access 部署上具有標籤型規則，則重新標記的應用程式的流量將根據應用程式的新標籤強制執行。例如，您可能對 NGFW 具有一個規則，只允許已認可或已容許應用程式的流量。透過將應用程式標記為已認可並將變更推送到 NGFW，您可以允許該應用程式的流量，而無需修改規則。

若要將標籤推送到您的 NGFW 或 Prisma Access 部署，您必須首先將 **Application-Tagging** 片段與適當的範圍建立關聯。確保您僅將 **Application-Tagging** 片段與已啟用 **App-ID 雲端引擎 (ACE)** 的 NGFW 或 Prisma Access 部署建立關聯。**Application-Tagging** 片段會使用 ACE，因為 AI Access Security、CASB-PA 授權和 CASB-X 授權可讓您透過 ACE 服務存取更廣泛的一系列應用程式。這些應用程式是在 **Application-Tagging** 片段中透過使用 ACE App-ID 進行識別。因此，如果 NGFW 或 Prisma Access 部署未設定為從 ACE 接收 App-ID，則設定推送將失敗。




片段不適用於 *Panorama*。不過，可以在 *Panorama* 上手動建立片段內的政策。如需詳細資訊，請聯絡您的客戶團隊。

STEP 1 | 登入 Strata Cloud Manager。

STEP 2 | 在 **Application-Tagging** 片段中標記 **GenAI 應用程式**，以比對您已套用至應用程式的現有標籤。

STEP 3 | 從所有設定範圍中刪除現有的已認可和已容許應用程式標籤。

 在 2024 年 9 月，我們更新了應用程式標記的實作方式。如果您在此更新之前標記了應用程式，請注意在 *AI Access Security*、活動洞察 *Applications*（應用程式）頁面和 *Strata Cloud Manager Command Center* 中顯示的標籤資訊可能不再反映在 *NGFW* 或 *Prisma Access* 部署上強制執行的操作。您在此更新之前套用的預先定義已認可和已容許標籤仍然可以影響 *NGFW* 或 *Prisma Access* 部署上的標籤型政策強制執行。若要確保正確的標籤型政策強制執行，請刪除在此 2024 年 9 月更新之前套用的所有已認可或已容許應用程式標籤。

1. 選取 **Manage**（管理） > **Configuration**（設定） > **NGFW and Prisma Access**（NGFW 和 Prisma Access） > **Objects**（物件） > **Applications**（應用程式） > **Applications**（應用程式）。
2. 從所有其他設定範圍中刪除所有 **Sanctioned**（已認可）和 **Tolerated**（已容許）應用程式標籤。
 1. 將設定範圍變更為您之前在其中管理應用程式標籤的資料夾。

例如，如果您從 **Global** 資料夾管理應用程式標籤，請在設定範圍中選取 **Global**（全域）。
 2. 從 **Matching Applications**（相符應用程式）清單中選取您的應用程式。

您可以使用 **Sanctioned**（已認可）和 **Tolerated**（已容許）標籤篩選器，快速縮小已標記應用程式的清單。
 3. **Remove Tag**（移除標籤）並確認移除現有的標籤。

這僅移除由管理員新增的標籤，而不會移除預設與應用程式相關聯的任何預先定義標籤。
 4. 重複此步驟以從所有設定範圍中的所有應用程式中移除所有 **Sanctioned**（已認可）和 **Tolerated**（已容許）標籤。

STEP 4 | 選取 **Manage**（管理） > **Configuration**（設定） > **NGFW and Prisma Access**（NGFW 和 Prisma Access） > **Overview**（概要）。

STEP 5 | 選取 **Configuration Scope**（設定範圍） > **Snippets**（片段） > **Application-Tagging**。

STEP 6 | 在片段關聯區域中，選取設定齒輪圖示以顯示您可以將其與 **Application-Tagging** 片段建立關聯的範圍。

STEP 7 | 選取您想要將其與 **Application-Tagging** 片段建立關聯的範圍。請記住，確保您僅將 **Application-Tagging** 片段已與啟用 ACE 的 NGFW 或 Prisma Access 部署建立關聯。

 如果您在 *Strata Cloud Manager* 的 **Applications** (應用程式) 頁面中將應用程式標記為已認可或已容許 (**Manage** (管理) > **Configuration** (設定) > **NGFW and Prisma Access** (NGFW 和 **Prisma Access**) > **Objects** (物件) > **Application** (應用程式) > **Applications** (應用程式))，請確保您將設定範圍設定為 **Application-Tagging** 片段。

標記為 **Application-Tagging** 範圍很重要，原因如下：

- 顯示在 *AI Access Security*、活動洞察 **Applications** (應用程式) 頁面和 *Strata Cloud Manager Command Center* 中的標籤是從 **Application-Tagging** 片段中讀取的。如果您在不同的範圍中標記應用程式，政策強制執行的標籤可能與在各種使用者介面中顯示的標籤不同。
- 如果在 **Application-Tagging** 範圍中標記的應用程式也在不同的範圍中標記，標籤型政策強制執行將基於可能導致非預期強制執行行為的評估順序。

